

**BIBLIOGRAPHY OF  
AMERICAN PALEOBOTANY  
FOR 2001**

Paleobotanical Section  
Botanical Society of America

# Paleobotanical Section

## Botanical Society of America

### Membership Information

2001

Membership in the Paleobotanical Section of the Botanical Society of America is open to anyone interested in fossil plants. Members receive the annual *Bibliography of American Paleobotany*, which is published by the Section. The *Bibliography* not only contains the recent research publications of Section members, but also provides a convenient way of keeping abreast of research interests of Section members. A full listing of current addresses is provided in the *Bibliography*. Other publications of the Section are listed on a separate page.

At the annual meeting of the Botanical Society of America, the Paleobotanical Section has an active three day program that includes contributed papers, a banquet, and frequently symposia, workshops and field trips.

There are four membership categories in the Section: Regular Members, those who are also regular members of the Botanical Society of America; Affiliate members, those who are members of the Section, but not the Botanical Society of America; Regular Emeritus members, those who are also emeritus members of the Botanical Society of America; and Affiliate Emeritus members, those who are emeritus, but not members of the Botanical Society.

Membership dues are currently

**\$8.00** for Regular members

**\$16.00** for Affiliate members

**\$4.00** for Regular Emeritus members

**\$8.00** for Affiliate Emeritus members

Dues for the Paleobotanical Section should be sent to the Secretary-Treasurer of the Section and made payable to the Paleobotanical Section, BSA. The address for the current Secretary-Treasurer is as follows:

**Dr. Kathleen B. Pigg**

Department of Plant Biology

Box 871601

Arizona State University

Tempe, AZ 85287-1601

Tele: 480-965-3154

Fax: 480-965-6899

Email: [kpigg@asu.edu](mailto:kpigg@asu.edu)

Visit the Paleobotanical Section on the World Wide Web at the following address:

<http://www.dartmouth.edu/~daghlian/paleo/>

**BIBLIOGRAPHY OF  
AMERICAN PALEOBOTANY  
FOR 2001**

Compiled under the auspices  
of the  
Paleobotanical Section  
Botanical Society of America

by  
Wilson A. Taylor  
Department of Biology  
University of Wisconsin - Eau Claire  
Eau Claire, WI 54701

\*\*\**(Issued July, 2002)*

\*\*\**ISBN 0-939201-11-9*

## CONTENTS

Biography and bibliography of Henry N. Andrews .....	1
BIBLIOGRAPHY FOR 2001*.....	7
Techniques .....	7
Reviews.....	7
Books.....	7
General .....	8
General Palynology.....	9
Precambrian.....	10
Paleozoic.....	10
Paleozoic Palynology.....	14
Mesozoic.....	14
Mesozoic Palynology.....	16
Tertiary.....	17
Tertiary Palynology .....	20
Quaternary.....	21
Quaternary Palynology .....	21
Taphonomy.....	22
Non-Fossil.....	22
Theses and Dissertations .....	24
WORK IN PROGRESS.....	24
DIRECTORY OF PALEOBOTANICAL SECTION MEMBERSHIP .....	28
PALEOBOTANICAL SECTION PUBLICATIONS AND SALES ITEMS .....	44

\*including manuscripts published and accepted for publication during 2001.

**Cover illustration:** The cover illustration was designed by Dr. Patricia Gensel in honor of Dr. Henry Andrews (1910-2002). A memorial and bibliography of the long and distinguished career of Dr. Andrews are featured on pp. 1-6. Reconstructions clockwise from upper left include: *Chaleuria cirrosa*, Emsian, New Brunswick (Andrews, H. N., P. G. Gensel and W. H. Forbes. 1974. An apparently heterosporous plant from the Middle Devonian of New Brunswick. *Palaeontology* 17: 387- 408), *Tempskya* sp. Cretaceous, Idaho (Andrews, H. N. and E.M. Kern. 1947. The Idaho Tempskyas and associated fossil plants. *Ann. Mo. Bot. Gard.* 34: 119-186) and *Archaeopteris macilenta*, Late Devonian, West Virginia (Phillips, T. L., H. N. Andrews, and P. G. Gensel. 1972. Two heterosporous species of *Archaeopteris* from the Upper Devonian of WestVirginia. *Palaeontographica* 139B: 47-71).

**Acknowledgements:** The author would like to express his thanks to Dr. Patricia Gensel for the information on Dr. Henry Andrews and the cover illustration, and to Ms. Faith Bogstad for her tireless editorial efforts



In Memoriam: Henry N. Andrews, Jr., Paleobotanist, Educator and Explorer, 1910-2002

Dr. Henry N. Andrews, Jr. 91, Professor Emeritus at the University of Connecticut and member, National Academy of Sciences and Phi Beta Kappa, died March 3, 2002 in Concord, New Hampshire. He had lived in Sanbornton, New Hampshire since his retirement in 1975.

Henry was born in Melrose, Massachusetts June 15, 1910 and graduated from Melrose High School. He received his BS in Food Technology at MIT in 1934. After becoming interested in fossils because of a course with paleontologist Herve Shimer, Henry then spent a year taking courses in “things he was interested in” (plants and paleontology) under the guidance of Professor Ray E. Torrey at the University of Massachusetts. This led him to become acquainted with Edgar Anderson, who offered Henry support for graduate study in botany at Washington University. He received his M.S. and Ph.D degrees in 1937 and 1939, respectively, from Washington University, St. Louis, Missouri, under the direction of Dr. Robert Woodson. During that time he also studied at Cambridge University with H. H. Thomas and worked at the British Museum of Natural History. He also studied fossil plants in Belgian coal mines, supported by a Belgian American Educational Foundation fellowship. While at Washington University, Henry met Lib (Elisabeth Ham), whom he married in 1939.

Henry was appointed instructor at the Henry Shaw School of Botany at Washington University in 1940, where he established a dynamic and productive research program. He also joined the Missouri Botanical Garden staff as paleobotanist (1947-1964) and served for about five years as assistant to the director. He became the administrative head (The Dean) of the Botany Department at Washington

University, and also served as a temporary staff member of the U. S. Geological Survey. He was a Fulbright lecturer at Poona University, India. Twice a John Simon Guggenheim Memorial Foundation Fellow, Henry also received a special Guggenheim award for exploratory research that led to his Arctic expeditions. Henry left St. Louis in 1964 to become Head, first of Botany (1964-67) and then of the Systematics and Environmental Section of the Biological Sciences Group at the University of Connecticut (1967-1970). He retired in 1975. He was elected to the National Academy of Sciences that same year.

Henry made major contributions to the study of Upper Carboniferous coal-ball plants in his earlier years, then shifted to investigating Devonian plants. Along with his students, Professor Andrews studied representative taxa of nearly every major plant group present in the Upper Carboniferous, often presenting a first modern description and assessment of their significance. Similarly, he published ground-breaking papers on first Late, then Early Devonian plants from the US and Canadian Arctic. Henry truly enjoyed natural history and exploration. He was a superb writer and educator. He published numerous papers and authored or co-authored four books, including a popular account about plant fossils, *Ancient Plants and the World They Lived In* (1947), a paleobotany text *Studies in Paleobotany* (1961), a profile of paleobotanists entitled *The Fossil Hunters* (1980), and, with P.G. Gensel, *Plant Life in the Devonian* (1984). Henry also prepared a comprehensive account of fossil ferns for the *Traité de Paleobotanique*, ed. E. Boureau (1971). He compiled and published two volumes of the *Index to Generic names of Fossil Plants* as part of his work with the USGS. In both his teaching and his writing, Henry demonstrated the love of exploration, curiosity and wisdom that marks his work and made his presentations about paleobotany and natural history memorable for students, colleagues and laypersons alike.

Henry was a member of the Botanical Society of America (recipient of the Merit Award, 1966, Chairman of the Paleobotanical Section), a Fellow of the Geological Society of America, a Fellow of the American Association for the Advancement of Science, a member of the Torrey Botanical Club (and assistant editor for several years), The New England Botanical Club, Sigma Xi, The Palaeontological Society, and the International Organization for Palaeobotany (served as Secretary and Vice-President). He also was an Honorary member of the Paleobotanical Society of India and a charter member of the Connecticut Academy of Science and Engineering. He was recognized on several occasions for his volunteer service, involving the interpretation or preservation of natural or historical areas/sites by the State of New Hampshire.

Henry and his wife Lib were well known for their wonderful hospitality wherever they lived, be it Missouri, Connecticut, New Hampshire, India, or England. They generously and graciously shared their knowledge, wisdom, and resources, hosting and helping colleagues, foreign visitors, students, friends, and family, thus touching the lives of many in numerous ways.

Henry is survived by two sons, Hollings T. Andrews of Gainesboro, Tennessee (a botanist) and Henry N. Andrews III of Westfield, New Jersey; a daughter Nancy Andrews Adams of Sanbornton, New Hampshire, grandchildren Eric N. Andrews and Heather A. Pippin, a great-grandson, and cousins, nieces and nephews.

## **Books**

1947 *Ancient Plants and the World they lived in*. Ithaca, NY: Comstock Publishing Co., 279 pp. (reprinted 1963)

- 1955 *Index of Generic Names of Fossil Plants, 1820-1950*. U.S. Geological Survey Bull., 1013: 262 pp.  
 1961 *Studies in Paleobotany*. New York, NY: John Wiley, 487 pp.  
 1970 *Index of Generic Names of Fossil Plants, 1820-1965*. U.S. Geological Survey Bull., 1300, 354 pp.  
 1980 *The Fossil Hunters*. Ithaca, New York, Cornell University Press, 421 pp.  
 1984 *Plant Life in the Devonian*. (with P.G. Gensel) New York: Praeger Publishers, 380 pp.

### Articles

- 1936 A new *Sequoioxylon* from Florissant, Colorado. *Ann. Mo. Bot. Gard.*, 23: 439-443.  
 Transitional pitting in tracheids of *Psilotum* (with J.A. Moore). *Ann. Mo. Bot. Gard.* 23: 151-156.
- 1939 An apparent double sporophyte in *Polytrichum commune* L. *Torreya* 39: 69-72.
- 1940 On the stelar anatomy of the pteridosperms with particular reference to the secondary wood. *Ann. Mo. Bot. Gard.* 27: 51-118.
- 1941 *Dichophyllum moorei* and certain associated seeds. *Ann. Mo. Bot. Gard.* 28: 375-384.  
 On the flora of the Frontier Formation of southwestern Wyoming. *Ann. Mo. Bot. Gard.* 28: 165-192.
- 1942 Contributions to our knowledge of American Carboniferous floras. I. *Scleropteris*, gen.nov., *Mesoxylon* and *Amyelon*. *Ann. Mo. Bot. Gard.* 29: 1-18.  
 Contributions to our knowledge of American Carboniferous floras. II. *Lepidocarpon*. *Ann. Mo. Bot. Gard.* 29:19-34.  
 Contributions to our knowledge of American Carboniferous floras. V. *Heterangium*. *Ann. Mo. Bot. Gard.* 29: 275-282.  
 A fossil araucarian wood from western Wyoming (with E. Pannell). *Ann. Mo. Bot. Gard.* 29: 285-286.
- 1943 Contributions to our knowledge of American Carboniferous floras. VI. Certain filicinean fructifications. *Ann. Mo. Bot. Gard.* 30: 429-442.  
 Notes on the genus *Tempskya*. *Am. Midl. Nat.* 29: 133-136.  
 On the vascular anatomy of the cycadeoid cone axis. *Ann. Mo. Bot. Gard.* 30: 421-427.  
 A mycorrhizome from the Carboniferous of Illinois (with L. W. Lenz). *Torrey Bot. Club. Bull.* 70: 120-125.
- 1945 Contributions to our knowledge of American Carboniferous floras. VII. Some pteridosperm stems from Iowa. *Ann. Mo. Bot. Gard.* 32: 323-360.  
 The pine fern- a living link with the past. *Mo. Bot. Gard. Bull.* 33: 84-90.  
 Cytoplasmic hybrids in *Penicillium notatum* (with C. C. Lendegren). *Torrey Bot. Club. Bull.* 72: 361-366.
- 1946 Preservation of plants as fossils. *Earth Sci. Dig.* 1: 3-7.  
 Ancient plants of the west. A fossil hunting trip in Idaho. *Mo. Bot. Gard. Bull.* 34: 85-89.  
 Coal balls—a key to the past. *Sci. Mon.* 62: 327-334.  
 Contributions to our knowledge of American Carboniferous floras. VIII. Another *Medullosa* from Iowa (with J.A. Kernan). *Mo. Bot. Gard. Bull.* 33: 141-147.

- Contributions to our knowledge of American Carboniferous floras. IX. Some petrified seeds from Iowa (with E. M. Kern.). *Ann. Mo. Bot. Gard.* 33: 291-306.
- The Gallatin fossil forest (with L. W. Lenz). *Ann. Mo. Bot. Gard.* 33: 309-313.
- 1947 The King's pines. *Historical New Hampshire* (N. H. Hist. Soc.) March, pp. 1-14.
- The Idaho Tempskyas and associated fossil plants (with E. M. Kern). *Ann. Mo. Bot. Gard.* 34: 119-186.
- Fossil polypores from Idaho (with L. W. Lenz). *Ann. Mo. Bot. Gard.* 34: 113-114.
- 1948 A *Crossotheca* from northern Illinois (with S. H. Mamay). *Ann. Mo. Bot. Gard.* 35: 203-204.
- A note on *Fomes idahoensis* Brown. *Ann. Mo. Bot. Gard.* 35: 207.
- Some evolutionary trends in the pteridosperms. *Bot. Gaz.* 110: 13-31.
- 1949 *Nucellangium*, a new genus of fossil seeds previously assigned to *Lepidocarpon*. *Ann. Mo. Bot. Gard.* 36: 479-504.
- 1950 A fossil osmundaceous tree-fern from Brazil. *Torrey Bot. Club Bull.* 77: 29-34.
- A contribution to our knowledge of the anatomy of *Botryopteris* (with S. H. Mamay). *Torrey Bot. Club Bull.* 77: 462-494.
- 1951 American coal ball floras. *Bot. Rev.* 17: 430-469.
- A new American species of *Bowmanites*. *Bot. Gaz.* 113: 158-165.
- 1952 Some American petrified calamitean stems. *Ann. Mo. Bot. Gard.* 39: 189-218.
- A brief conspectus of American coal ball studies (with S. H. Mamay). *Palaeobotanist* 2: 66-72.
- The gametophyte of *Cardiocarpus* Graham (with C. J. Felix). *Ann. Mo. Bot. Gard.* 39: 27-135.
- 1953 Some American *Medullosas* (with S. H. Mamay). *Ann. Mo. Bot. Gard.* 40: 183-209.
- 1955 Some recent advances in morphological palaeobotany. *Phytomorphology* 5: 372-393.
- 1956 A note on the nodal anatomy of *Ankyropteris glabra* Baxter. *Ann. Mo. Bot. Gard.* 43: 379-380.
- A new fossil plant from the New Albany shale with some comments on the origin of land vascular plants (with K. S. Alt). *Ann. Mo. Bot. Gard.* 43: 355-378.
- 1957 A study of *Botryopteris globosa* Darrah (with W. H. Murdy). *Torrey Bot. Club Bull.* 84: 252-267.
- 1958 *Lepidophloios*—and ontogeny in arborescent lycopods (with W. H. Murdy). *Am. J. Bot.* 45: 552-560.
- 1959 Evolutionary trends in early vascular plants. *Cold Spring Harbor Symposia* 24: 217-234.
- Notes on a visit to Leningrad and Moscow. *AIBS Bull.*, November: 14-16.
- 1960 *Calamophyton bicephalum*, a new species from the Middle Devonian of Belgium (with S. Leclercq). *Ann. Mo. Bot. Gard.* 47: 1-23.

- 1961 Plant riddles in the rocks—their contribution to evolutionary studies. Sir Albert Charles Seward Memorial Lecture. Birbal Sahni Institute of Palaeobotany, Lucknow, 7 pp.
- The extra-stelar tissues of certain American calamite axes (with T. S. Mahabale). Professor S. P. Agharkar Commemoration Volume, 1961: 89-96.
- 1962 A new fern from the American Carboniferous (with S. N. Agashe). *Palaeobotanist* 11: 46-48.
- 1963 Arctic Island—a botanical trip to Ellesmere Land. *Mo. Bot. Gard. Bull.* 51: 17-23.
- Botany in Ellesmere Island. *Wash. Univ. Alumni Mag.*, Spring: 50-55.
- Early seed plants. *Science* 142: 925-931.
- Hill Stations of India: Appalachia, December Issue, p. 663-677.
- An occurrence of the medullosan seed-fern *Sutcliffia* in the American Carboniferous (with T. L. Phillips). *Ann. Mo. Bot. Gard.* 50: 29-51.
- 1964 Return to Ellesmere Land. *Mo. Bot. Gard. Bull.* 52: 1-9.
- 1965 Some exceptionally large calamite stems (with S. N. Agashe). *Phytomorphology* 15: 103-108.
- A fructification of *Anachoropteris* from the middle Pennsylvanian of Illinois (with T. L. Phillips). *Ann. Mo. Bot. Gard.* 52 (3): 251-261.
- Palaeobotanical studies in Arctic Canada. I. *Archaeopteris* from Ellesmere Island (with T. L. Phillips and N. W. Radforth). *Can. J. Bot.* 43: 545-556.
- 1966 Some recent developments in our understanding of pteridophyte and early gymnosperm evolution. *Plant Biology Today*, Wadsworth, pp. 114-145.
- Catenopteris simplex* gen. et sp. nov., a primitive pteridophyte from the upper Pennsylvanian of Illinois (with T. L. Phillips). *Torrey Bot. Club Bull.* 93: 117-128.
- Erect plants in the early Silurian of Maine (with J. M. Schopf, E. Mencher, and A. J. Boucot). *U. S. Geol. Surv. Prof. Paper* 550D: D69- D75.
- 1968 The Long Range Mountains of Newfoundland (with F. M. Hueber and A. E. Kasper). *Appalachia*, Dec. 1968: 288-299.
- Psilophyton forbesii*, a new Devonian plants from northern Maine (with A. E. Kasper and E. Mencher). *Torrey Bot. Club Bull.* 95: 1-11.
- Rhacophyton* from the Upper Devonian of West Virginia (with T. L. Phillips). *J. Linn. Soc. Lond.* 61: 37-64.
- Biscalitheca* (Coenopteridales) from the Upper Pennsylvanian of Illinois (with T. L. Phillips). *Palaeontology* 11: 104-115.
- 1969 *Kaulangiophyton*, a new genus of plants from the Devonian of Maine (with P. G. Gensel and A. E. Kasper). *Torrey Bot. Club Bull.* 96: 265-276.
- Canipa quadrifida*, gen. et sp. nov., a synangial fructification from the Middle Pennsylvanian of West Virginia (with J. E. Skog and S. H. Mamay). *Torrey Bot. Club Bull.* 96:276-287.

- 1970 Plant fossils of the Trout Valley formation (with A. E. Kasper). *Maine Geol. Surv. Bull.* 23: 3-16.
- Filicophyta, in Boureau, E., Ed. *Traité de Paleobotanique*, V. 4, fasc. 1: Paris, Masson et Cie, 519 p. (with C. A. Arnold, E. Boureau, J. Doubinger and S. Leclercq).
- 1971 A Devonian lycopod stem with well preserved cortical tissues (with C. B. Read and S. H. Mamay). *Palaeontology* 14: 1-9.
- 1972 *Pertica*, a new genus of Devonian plants from northern Maine (with A. E. Kasper). *Am. J. Bot.* 59: 897-911.
- Two heterosporous species of *Archaeopteris* from the Upper Devonian of West Virginia (with T. L. Phillips and P. G. Gensel). *Palaeontographica* 139B: 47-71.
- 1974 Paleobotany, 1947-1972. In: M. Crosby et al. (Editor), *25 years of Botany*. *Ann. Mo. Bot. Gard.* 61: 179-202.
- New fertile species of *Psilophyton* from the Devonian of Maine (with A. E. Kasper and W. H. Forbes). *Am. J. Bot.* 61: 339-359.
- An apparently heterosporous plant from the Middle Devonian of New Brunswick (with P. G. Gensel and W. H. Forbes). *Palaeontology* 17: 387-408.
- 1975 A new species of *Sawdonia* with notes on the origin of microphylls and lateral sporangia (with P. G. Gensel and W. H. Forbes). *Bot. Gaz.* 136:50-62.
- A new fossil plant of probable intermediate affinities (Trimerophyte-Progymnosperm) (with P. G. Gensel and A. E. Kasper). *Canadian J. Bot.* 53: 1719-1728.
- 1976 A new species of *Pertica* from the Devonian of eastern Canada (with J. A. Granoff and P. G. Gensel). *Palaeontographica* 155B: 119-128.
- The morphology and variation in *Rhacophyton ceratangium* from the Upper Devonian and its bearing on frond evolution (with B. Cornet and T. L. Phillips). *Palaeontographica* 158B: 105-129.
- 1977 Early Devonian flora of the Trout Valley Formation of northern Maine (with A. E. Kasper, W. H. Forbes, P. G. Gensel, and W. G. Chaloner). *Review Palaeobot. Palynol.* 23: 255-285.
- 1978 New occurrences of trimerophytes from the Devonian of eastern Canada (with J. B. Doran and P. G. Gensel). *Can. J. Bot.* 56: 3052-3068
- 1987 The early evolution of land plants (with P. G. Gensel). *American Scientist* 75: 478-489.
- 1988 Plant Paleontology in the State of Maine, a review (with A. E. Kasper, P. G. Gensel and W. H. Forbes). *Maine Geological Survey C. T. Jackson 150th Anniversary Volume*. Vol. 1: 109-128.
- 1990 Frederick Maurice Wonnacott 1902-1990: *International Organization of Palaeobotany Newsletter* 43, p. 6-8.

## TECHNIQUES

### Boyce, C.K.

Boyce, C. K., Knoll, A. H., and Hazen, R. M. 2001. Nondestructive, *in situ*, cellular-scale mapping of elemental abundances including organic carbon in permineralized fossils. *Proceedings of the National Academy of Sciences USA* 98: 5970-5974.

### Knoll, A.H.

Boyce, C.K., Hazen, R.M. and Knoll, A.H. 2001. Nondestructive, *in situ*, cellular scale mapping of organic carbon in fossils. *Proceedings, National Academy of Sciences, USA* 98: 5970-5974.

## REVIEWS

### Gee, C.T.

Gee, C.T. 2001. Book review of: Cleal, C.J. & Thomas, B.A. 1999. *Plant Fossils: The History of Land Vegetation*. *Plant Systematics and Evolution*, 29: 133-134.

### Klavins, S.D.

Taylor, T. N. and Klavins, S.D. 2001. Review of: Cleal, C. J. and Thomas, B. A. 1999. *Plant fossils: the history of land vegetation*. *Review of Palaeobotany and Palynology* 116: 252.

### Meyer, H.W.

Meyer, H.W. 2000. Book review of: Graham, A. 1999. *Late Cretaceous and Cenozoic History of North American Vegetation*. *Palaaios* 15: 493-494.

### Retallack, G.J.

Retallack, G.J. 2001. Review of Feldmann, R.M. and Hackathorn, M. [eds] *Fossils of Ohio*. *Priscum* 10(2): 20.

Retallack, G.J. 2001. Review of Janis, C., Scott, K. and Jacobs, L. [eds] *Evolution of Tertiary mammals of North America*. Vol. 1. *Terrestrial carnivores, ungulates and ungulatelike mammals*. *Priscum* 10(2): 21-22.

Retallack, G.J. 2001. Review of Long, J.A. *Dinosaurs of Australia and New Zealand and other animals of the Mesozoic era*. *Priscum* 10(2): 22-23.

### Rothwell, G.W.

Rothwell, G.W. 2002. in press Review of – Gensel, P.G. and Edwards, D. [eds.], 2001. *Plants invade the land (perspectives in paleobiology and earth history)*. Columbia University Press, New York, 304 pp. *Plant Systematics and Evolution*.

### Smith, U.R.

Smith, U. R., 2001. *Poppies: A Guide to the Poppy Family in the Wild and in Cultivation*; Grey-Wilson, Christopher, 2000. *Plant Science Bulletin* 47(4): 173.

Smith, U. R., 2002. *Spatial Pattern Analysis in Plant Ecology*; Dale, Mark R. T., 2000. *Plant Science Bulletin* 48(1): 24.

### Srivastava, S.K.

Srivastava, S. K. 2000 Review of: Jones, T. P. and Rowe, N. P. [eds.], 1999. *Fossil plants and spores: Modern techniques*, Geological Society, London. *AAPG Bulletin* 84(2): 291.

## BOOKS

### DiMichele, W.A.

Gastaldo, R.A. and DiMichele, W.A. [eds.], 2000. *Phanerozoic Terrestrial Ecosystems, A Short Course*. *Paleontological Society Papers* 6, 308 pp.

### Johnson, K.R.

Evanoff, E., Gregory-Wodzicki, K. M., Johnson, K. R. 2001. *Fossil flora and stratigraphy of the Florissant Formation, Colorado*. *Proceedings of the Denver Museum of Nature & Science*, series 4, no. 1, 218 pp.

### McElwain, J.C.

Willis, K.J. and McElwain, J.C. 2002. *The Evolution of Plants*. Oxford University Press, Oxford, 352 pp.

### Retallack, G.J.

Retallack, G.J. 2001. *Soils of the past: an introduction to paleopedology*. 2nd edition. Blackwells, Oxford, 600 pp.

**Sun, G.E.**

Sun G., Zheng S.L., Dilcher D.L., Wang Y.D. and Mei S.W. 2001. Early angiosperms and their associated plants from western Liaoning, China. Shanghai Sci. Techn. Educ. Press. 227 pp.

**GENERAL**

**Archangelsky, S.**

Archangelsky, S., Edwards, D., Gall, J.C., Lipps, J.H. and Ashley, G.M. 2000. Societies. *In* Lane, R.H., Steininger, F.F., Kaesler, R.L., Zigler, W. & Lipps, J. [eds.], Fossils and the future - Paleontology in the 21st. Century. Senckenberg Buch Nr. 74: 109-113.

**Ash, S.R.**

Ash, S. R. 2001. Plant-animal interactions: herbivory. *In* Briggs, D. E. G., and Crowther, P. R. [eds.], Palaeobiology II, 424-426. Blackwell Science Ltd., Oxford.

**Cressler, W.L.**

Cressler, W.L. 2001. Evidence of Earliest Known Wildfires. *Palaios* 16: 171-174.

**DiMichele, W.A.**

DiMichele, W.A. 2000. Ecosystem dynamics. McGraw-Hill Yearbook of Science and Technology. McGraw-Hill, NY. 129-131.

**Doyle, J.A.**

Sanderson, M. J. and Doyle, J. A. 2001. Sources of error and confidence intervals in estimating the age of angiosperms from *rbcL* and 18S rDNA data. *American Journal of Botany* 88: 1499-1516.

Doyle, J. A., Sanderson, M. J. and Magallón, S. 2001. Integrating fossil and molecular data on the age of angiosperms: effects of fossil age constraints and rate smoothing methods. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p 63.

Doyle, J. A. 2002. in press. Significance of molecular phylogenetic analyses for paleobotanical investigations on the origin of angiosperms. The Palaeobotanist Golden Jubilee Volume.

**Farley, M.B.**

Farley, M.B. and Armentrout, J. in press Biostratigraphy becoming lost art in rush to find new exploration tools. Offshore.

**Grauvogel-Stamm, L.**

Marchal-Papier, F., Nel, A. and Grauvogel-Stamm, L. 2000. Nouveaux orthoptères (Ensifera, Insecta) du Trias des Vosges (France). *Acta Geologica Hispanica*, 35 (1-2): 5-18.

**Knoll, A.H.**

Myers, N. and Knoll, A.H. 2001. The future of evolution. *Proceedings, National Academy of Sciences, USA* 98: 5389-5392.

**Niklas, K.J.**

Niklas, K. J. 2001. Taxing debate for taxonomists. *Science* 292: 2249.

Niklas, K. J., and Enquist, B. J. 2001. Invariant scaling relationships for interspecific plant biomass production rates and body size. *Proceedings of the National Academy of Sciences (USA)* 98: 2928 – 2933.

Niklas, K. J., and Speck, T. 2001. Evolutionary trends in safety factors against wind-induced stem failure. *The American Journal of Botany* 88: 36–48.

Burgert, I., Bernasconi, A., Niklas, K.J. and Eckstein, N. 2001. The relationship between transverse elastic anisotropy and volume fraction of rays in green wood of deciduous trees. *Holtzforschung* 55: 1 – 6.

Enquist, B. J., and Niklas, K.J. 2001. Invariant scaling relations across tree-dominated communities. *Nature* 410: 655-670.

Enquist, B., Haskel, J., Niklas, K.J. and Tiffney, B.H. 2001. Plant communities, evolution of. *In*: Levin, S.A. [ed.], *The Encyclopedia of Biodiversity*, Vol. 4: 631–643.

**Ottone, E.G.**

Ottone, E. G. 2001. Los primeros hallazgos de plantas fósiles en Argentina (The first records of fossil plants in Argentina). Asociación Paleontológica Argentina, Publicación Especial 8. Buenos Aires.

**Pigg, K.B.**

Pigg, K. B., and DeVore, M. L. 2001. Paleobotany. *Geotimes* 46: 35-36.

Pigg, KB. 2001. Isoetalean lycopsid evolution: from the Devonian to the present. *American Fern Journal* 91: 99-114.

**Retallack, G.J.**

Retallack, G. J. 2002. in press, Carbon dioxide and climate over the past 300 million years. *Philosophical Transactions of the Royal Society of London*.

Retallack, G. J. 2002, Triassic-Jurassic atmospheric CO<sub>2</sub> spike. *Nature* 415: 387-388.

Retallack, G. J. 2002. Atmospheric CO<sub>2</sub> from fossil plant cuticles. *Nature* 415: 38.

Retallack, G.J. 2001. A 300 million year record of atmospheric carbon dioxide from fossil plant cuticles. *Nature* 411: 287-290.

Retallack, G.J. 2001. Phanerozoic non-marine ichnofossils and atmospheric change. *Abstracts of the Geological Society of America* 33(6): A386.

Sheldon, N.D. and Retallack, G.J. 2001. Equation for compaction of paleosols due to burial. *Geology* 29: 247-250.

Sheldon, N.D., Retallack, G.J. and Reed, M.H. 2001. Siderite-iron-silicate equilibria in paleosols as an atmospheric CO<sub>2</sub> paleobarometer or paleoproductivity index? *Abstracts of the Geological Society of America and Geological Society of London Global Meeting – Earth System Processes, Edinburgh*, 42.

Wynn, J.G. and Retallack, G.J. 2001. Paleoenvironmental reconstruction of middle Miocene paleosols bearing *Kenyapithecus* and

*Victoriapithecus*, Nyakach Formation, southwestern Kenya. *Journal of Human Evolution* 40: 263-288.

**Rothwell, G.W.**

**Abstract:** Tomescu, A.M.F and Rothwell, G.W. 2001. Exploring the cladistic relationships of Sphenopsida. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 71.

**Smith, U.R.**

Smith, U. R., 2001. Integrated research on fossil and extant flowering plants via a descriptive database. *PaleoBios* 21(2 supplement): 118. Abstract, North American Paleontological Convention 2001; LA-UR-01-3561.

Smith, U. R., 2001. Systematic analysis of fossil fruits placed in the eurosid II clade. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.)

**Taylor, E.L.**

Taylor, E.L., and Taylor, T.N. 2001. Adolphe Brongniart. In Robinson, R. [editor in chief], *Plant Sciences*, Macmillan Reference USA, Vol 1: 103-104.

**Tiffney, B.H.**

Enquist, B., Haskel, J., Tiffney, B.H. and Niklas, K.J. 2001. Plant communities, evolution of. *In: Levin, S.A. [ed.], The Encyclopedia of Biodiversity*, Vol. 4: 631–643

## GENERAL PALYNOLOGY

**Osborn, J.M.**

Osborn, J. M., El-Ghazaly, G. and Cooper, R.L. 2001. Development of the exineless pollen wall in *Callitriche truncata* (Callitrichaceae) and the evolution of underwater pollination. *Plant Systematics and Evolution* 228: 81-87.

**Taylor, W.A.**

Taylor, W.A. 2001 Evolutionary hypothesis of cryptospore producing plants based on wall ultrastructure. *In* D.K. Goodman and R.T. Clarke [eds.], *Proceedings of the Ninth International*

Palynological Congress, Houston, Texas, U.S.A., 1996. American Association of Stratigraphic

Palynologists Foundation. pp. 11-15.

Taylor, W.A. in press. Studies in cryptospore ultrastructure: variability in the tetrad genus *Tetraedraletes* and type material of the dyad *Dyadospora murusattenuata*. Review of Palaeobotany and Palynology.

## PRECAMBRIAN

### Knoll, A.H.

Javaux, E., Knoll, A.H. and Walter, M.R. 2001. Ecological and morphological complexity in early eukaryotic ecosystems. *Nature* 412: 66-69.

Bartley, J.K., Semikhatov, M. A., Kaufman, A.J., Knoll, A.H., Pope, M.C. and Jacobsen, S.B. 2001. Global events across the Mesoproterozoic-Neoproterozoic boundary: C and Sr isotopic evidence from Siberia. *Precambrian Research* 111: 165-202.

Xiao, S., Yuan, X., Steiner, M. and Knoll, A.H. 2001. Carbonaceous macrofossils in a terminal Proterozoic shale: a systematic reassessment of the Miaohu biota, South China. *Journal of Paleontology* 76: 345-374.

## PALEOZOIC

### Archangelsky, S.

Cesari, S.N., Archangelsky, S. & Vega, J.C. 2001. Consideraciones sobre un nuevo caule con anatomía preservada de la Formación Jejenes (Carbonífero) provincia de San Juan. II Simposio Argentino del Paleozoico Superior (Trelew, Chubut), (abstr). p 5.

Vega, J.C. & Archangelsky, S., 2001. Austrocalyxaceae, a new Pteridosperm family from Gondwana. *Palaeontographica B* 257: 1-16.

Ottone, E. & Archangelsky, S., 2001. A new Bryophyte from the Upper Carboniferous of Argentina. *Ameghiniana* 38: 219-223.

### Boyce, C.K.

Boyce, C. K. and Knoll, A. H. in press. Evolution of developmental potential and the multiple independent origins of leaves in Paleozoic vascular plants. *Paleobiology*.

### DiMichele, W.A.

DiMichele, W.A. 2000. Carboniferous Coal Swamp Forests. In: Briggs, D.E.G. and Crowther, P.R. [eds.], *Palaeobiology II*. London: Blackwell Science. pp 79-82.

DiMichele, W.A., Dixon, W.H., Nelson, W.J., Chaney, D.S. and Hook, R.W. 2000. An Early Permian coastal flora from the Central Basin Platform of Gaines County, west Texas. *Palaios*. 15: 524-534.

Pfefferkorn, H.W., Gastaldo, R.A. and DiMichele, W.A. 2000. Ecological stability during the late Paleozoic cold interval. In: Gastaldo, R.A. and DiMichele, W.A. [eds.], *Terrestrial Ecosystems, A Short Course*. Paleontological Society Papers 6: 63-78.

DiMichele, W.A., Mamay, S.H., Chaney, D.S., Hook, R.W. and Nelson, W.J. 2001. An Early Permian flora with Late Permian and Mesozoic affinities from north-central Texas. *Journal of Paleontology* 75: 449-460.

DiMichele, W.A., Pfefferkorn, H.W. and Gastaldo, R.A. 2001. Response of Late Carboniferous and Early Permian plant communities to climate change. *Annual Review of Earth and Planetary Sciences* 29: 461-487.

DiMichele, W.A., Stein, W.E. and Bateman, R.M. 2001. Ecological sorting during the Paleozoic radiation of vascular plant classes. In: Allmon, W.D. and Bottjer, D.J. [eds.], *Evolutionary Paleocology*. Columbia University Press. pp. 285-335.

### Fairon-Demaret, M.

Berry, C.M. and Fairon-Demaret, M. The Middle Devonian Flora revisited. In Gensel, P.G. and Edwards, D. [eds.], *Plants invade the land. Evolutionary and environmental perspectives. Critical moments and Perspectives in Earth History and Palaeobiology*, 120-139. Columbia University Press, New-York.

Fairon-Demaret, M. and Leponce I. 2001. Leaf dimorphism in *Archaeopteris roemeriana* (Progymnosperm): further early fossil evidence of

shoot dorsiventrality. *American Journal of Botany*  
88 (4): 729-735.

Fairon-Demaret, M, Leponce, I. and Streeel, M. 2001.  
*Archaeopteris* from ther Upper Famennian of  
Belgium: hetertospory, nomenclature, and  
palaeobiogeography. *Review of Palaeobotany and  
Palynology* 115: 79-97.

**Gastaldo, R.A.**

DiMichele, W.A., Pfefferkorn, H.W., and Gastaldo, R.A. 2001. Response of Late Carboniferous and Early Permian plant communities to climate change. *Annual Review of Earth and Planetary Sciences*, 29: 461-487.

**Klavins, S.D.**

Klavins, S. D., Taylor, E. L., Krings, M. and Taylor, T. N. 2001. An unusual, anatomically preserved ovule from the Permian of Antarctica. *Review of Palaeobotany and Palynology*, 115: 107-117.

Jarvis, D. E. and Klavins, S. D. 2001. Palaeobotany, palynofacies, and palaeoenvironment of plant-bearing horizons at Sandeel Bay, Hook Head, Co. Wexford, Ireland. Programme and Abstracts of the First Meeting of the Commission Internationale de Microflore du Paléozoïque Spores and Pollen Subcommission, Cork, Ireland, p 22. (abstr.)

**Knaus, M.J.**

Knaus, M. J. and S. G. Lucas. in press. A Permian-Carboniferous tree-like neuropterid from Carrizo Arroyo, central New Mexico. To be published in the *New Mexico Museum of Natural History and Science Bulletin: Geology and Paleontology of the Carrizo Arroyo, central New Mexico*.

Knaus, M. J. and W. H. Gillespie. 2001 *Genselia compacta* (Jongmans et al.) Knaus et Gillespie comb. nov.: New insights into possible evolutionary pathways of early photosynthetic units. *Palaeontographica B*. 256: 69-94.

Knaus, M. J., and Lucas, S. G. 2001 Upper Paleozoic Plants of New Mexico. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.)

Knaus, M. J., Lucas, S. G., and Rowland, J. M., 2000. An Early Permian Flora from the Abo Formation, Placitas, Sandoval County, New Mexico. *Abstract: New Mexico Geology*, NM Bureau of Mines and Mineral Resources, Socorro, MN.

**Krings, M.**

Klavins, S.D., Taylor, E.L., Krings, M. and Taylor, T.N. 2001. An unusual, structurally preserved ovule from the Permian of Antarctica. *Review of*

*Palaeobotany and Palynology* 115: 107-117.

Krings, M. 2001. Pilzreste auf und in den Fiedern zweier Pteridospermen aus dem Stefan von Blanzymontceau (Zentralmassiv, Frankreich). *Geologica Saxonica - Abhandlungen des Museums für Mineralogie und Geologie Dresden* 46/47: 189-196.

Krings, M., Kerp, H., Taylor, E.L. and Taylor, T.N. 2001. Reconstruction of *Pseudomariopteris busquetii*, a vine-like Late Carboniferous - Early Permian pteridosperm. *American Journal of Botany* 88: 767-776.

Krings, M., Kerp, H., Taylor, T.N. and Taylor, E.L. in press. How Paleozoic vines and lianas got off the ground: on scrambling and climbing Late Carboniferous - Early Permian pteridosperms. *Botanical Review*.

Krings, M., Taylor, T.N., Taylor, E.L., Axsmith, B.J. and Kerp, H. 2001. Cuticles of *Mariopteris occidentalis* White nov. emend. from the Middle Pennsylvanian of Oklahoma (USA), and a new type of climber hook for mariopteroid pteridosperms. *Review of Palaeobotany and Palynology* 114: 209-222.

**Mapes, G.**

Hernandez-Castillo, G., Rothwell, G.W. and Mapes, G. 2001. Compound pollen cones in Paleozoic conifers. *American Journal of Botany* 88: 1139-1142.

Rothwell, G.W. and Mapes, G. 2001. *Barthelia furcata* gen. et sp. nov., with a review of Paleozoic coniferophytes and a discussion of coniferophyte systematics. *International Journal of Plant Sciences* 162: 637-667.

Tomescu, A.M.F., Rothwell, G.W. and Mapes, G. 2001. *Lyginopteris royali* sp. nov. from the Upper Mississippian of North America. *Review of Palaeobotany and Palynology* 116: 159-173.

Dunn, M.T., Rothwell, G.W. and Mapes, G. 2001. On Paleozoic plants from marine strata: *Hexaloba finisensia* new genus and species, a trigonocarpalean ovule from the Virgilian (Gzhelian) Finis Shale of Texas. *Journal of Paleontology* 76: 173-180.

Hernandez-Castillo, H., Rothwell, G.W. and Mapes, G. 2001. Thucydiaceae fam. nov., with a review and reevaluation of Paleozoic walchian conifers. *International Journal of Plant Sciences* 162: 1155-1185.

Dunn, M.T., Rothwell, G.W. and Mapes, G. 2001. Upper Mississippian ovules with characteristics of two unique morphogenera: *Stephanospermum* and *Rhynchosperma*. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 63.

Hernandez-Castillo, G., Rothwell, G. W. and Mapes, G. 2001. Evidence for compound pollen cones in Paleozoic conifers. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 65.

**Meyer-Berthaud, B.**

Daviero V., Meyer-Berthaud B. and Lecoustre R., 2000 - Computer simulation of sphenopsid architecture. I. Principles and methodology. *Review of Palaeobotany and Palynology* 109: 121-134.

Meyer-Berthaud B., Scheckler S.E. & Bousquet J-L., 2000 - The development of *Archaeopteris*: new evolutionary characters from the structural analysis of an early Famennian trunk of SE Morocco. *American Journal of Botany*, 87: 456-468.

Meyer-Berthaud B. and Gerrienne P. 2001 - *Aarabia*, an Early Devonian vascular plant from Africa. *Review of Palaeobotany and Palynology*, 116: 39-53.

Soria A., Meyer-Berthaud B. and Scheckler S.E. 2001 Reconstructing the architecture and growth habit of *Pietzschia levis* sp. nov. (Cladoxylopsida) from the Late Devonian of South-Eastern Morocco. *International Journal of Plant Science*, 162 : 911-926.

Klug C., Rücklin M., Meyer-Berthaud B., Soria A., Korn D. and Wendt J. in press – Late Devonian pseudoplanktonic crinoids. *Neue Jahrbuch für Geologie und Paläontologie*.

**Ottone, E.G.**

Ottone, E. G. and Archangelsky, S. 2001. A new bryophyte from the Upper Carboniferous of Argentina. *Ameghiniana* 38: 219-223.

**Retallack, G.J.**

Retallack, G.J. 2001. *Scoyenia* burrows from Ordovician paleosols of the Juniata Formation in Pennsylvania. *Palaeontology* 44: 209-235.

**Rothwell, G.W.**

Hilton, J., Rothwell, G.W., Galtier, J. Li, C-S and Wang, S-J. 2001. Permineralized cardiocarpalean ovules in wetland vegetation from Early Permian volcanoclastic sediments of China. *Palaeontology* 44: 811-825.

Hernandez-Castillo, G., Rothwell, G.W. and Mapes, G. 2001. Compound pollen cones in Paleozoic conifers. *American Journal of Botany* 88: 1139-1142.

Rothwell, G.W. and Mapes, G. 2001. *Barthelia furcata* gen. et sp. nov. with a review of Paleozoic coniferophytes and a discussion of coniferophyte systematics. *International Journal of Plant Sciences* 162: 637-667.

Tomescu, A.M.F., Rothwell, G.W. and Mapes, G. 2001. *Lyginopteris royali* sp. nov. from the Upper Mississippian of North America. *Review of Palaeobotany and Palynology* 116: 159-173.

Dunn, M.T., Rothwell, G.W. and Mapes, G. 2001. On Paleozoic plants from marine strata: *Hexaloba finisensia* new genus and species, a trigonocarpalean ovule from the Virgilian (Gzhelian) Finis Shale of Texas. *Journal of Paleontology* 76: 173-180.

Hernandez-Castillo, H., Rothwell, G.W. and Mapes, G. 2001. Thucydiaceae fam. nov. with a review and reevaluation of Paleozoic walchian conifers. *International Journal of Plant Sciences* 162: 1155-1185.

Dunn, M.T., Rothwell, G.W. and Mapes, G. 2001. Upper Mississippian ovules with characteristics of two unique morphogenera: *Stephanospermum* and *Rhynchosperma*. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 63.

Hernandez-Castillo, G., Rothwell, G. W. and Mapes, G. 2001. Evidence for compound pollen cones in Paleozoic conifers. Annual meeting of the Botanical

Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 65.

**Taylor, E.L.**

Krings, M., Kerp, H., Taylor, E.L., and Taylor, T.N. 2001. Reconstruction of *Pseudomariopteris busquetti* from the Upper Carboniferous and Lower Permian of France and Germany. *American Journal of Botany* 88: 767-776.

Krings, M., Taylor, T.N., Taylor, E.L., Axsmith, B.J. and Kerp, H. 2001. Cuticles of *Mariopteris occidentalis* White nov. emend. from the Middle Pennsylvanian of Oklahoma (USA) and a new type of climber hook for mariopteroid pteridosperms. *Review of Palaeobotany and Palynology* 114: 209-222.

Krings, M., Kerp, H., Taylor, T.N., and Taylor, E.L. 2001. in press How Paleozoic vines and lianas got off the ground: On scrambling and climbing Late Carboniferous-Early Permian pteridosperms. *Review of Palaeobotany and Palynology*

Klavins, S.D., Taylor, E.L., Krings, M., and Taylor, T.N. 2001. An unusual, structurally preserved ovule from the Permian of Antarctica. *American Journal of Botany* 115: 107-117.

McManus, H.A., Taylor, E.L., Taylor, T.N., Collinson, J.W. 2002. in press A petrified *Glossopteris* flora from Collinson Ridge, central Transantarctic Mountains: Late Permian or Early Triassic? *Review of Palaeobotany and Palynology*

Krings, M., Kerp, H., Taylor, T.N., and Taylor, E.L. 2002. in press. How Paleozoic vines and lianas got off the ground: On scrambling and climbing Late Carboniferous-Early Permian pteridosperms. *Review of Palaeobotany and Palynology*

Axsmith, B.J., Serbet, R., Krings, M., Taylor, T.N., and Taylor, E.L. 2001. New interpretations of the enigmatic Paleozoic plants *Spermopteris* and *Phasmatocycas*. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 61.

**Tiffney, B.H.**

Mattinson C. G. and Tiffney, B.H. 2001. Mississippian Plant Fossils of the Diamond

Taylor, T.N., and Taylor, E.L. 2000. Fungi in palaeoecosystems. In: *Palaeobiology II* (Briggs, D.E.G. and Crowther, P.R. [eds.], Blackwell Science, Ltd., Oxford, U.K., pp. 464-467.

PeakFormation, Northern White Pine Range, White Pine County, Nevada. *Paleobios* 21(3): 1 -11.

**Tomescu, A.M.F.**

Tomescu, A.M.F., Rothwell, G.W., Mapes G. 2001. *Lyginopteris royalii* sp. nov. from the Upper Mississippian of North America. *Review of Palaeobotany and Palynology* 116 (3-4), 159-173.

**Wagner, R.H.**

Wagner, R.H. 1998. Consideraciones sobre los pesos de la Serie Estefaniense. *Monografias Academic de Ciencias Exactas, Fisicas, Quimicas y Naturales de Zaragoza*, 13: 9-19.

Wagner, R.H. 1999. Macrofloras del Carbonifero/Permico. In Aguirre, E. y Rabano, I. [eds.], "La Huella del pasado". *Fosiles de Castilla – La Mancha*: 77-98. *Patrimonio Historico. Arqueologia. Castilla – La Mancha*.

Wagner, R.H. and Montero, A. 2000. Palaeobotanical Museum in the Botanical Garden, Cordoba, Spain. *Monografias Academia de Ciencias Exactas, Fisicas, Quimicas y Naturales de Zaragoza*, 16: 11-16.

Wagner, R.H. 2001. The extrabasinal elements in lower Pennsylvanian floras of the Maritime Provinces, Canada: description of *Adiantites*, *Pseudadiantites* and *Rhacopteridium*. *Revista Espanola de Paleontologia*, 16 (2): 1870296.

Wagner, R.H. 2001. Fosiles vegetales. Serie Recursos Naturales, N°6. Departamento Medio Ambiente y Proteccion Civil, Diputacion de Cordoba, Espana, 105 pp

Wagner, R.H., J.B. Diez & R. Calvo, 2001. El Bosque Carbonifero de Verdena. In Nuche, R. [ed.], *Patrimonio Geologico de Castilla y Leon*: 380-393. ENRESA, Madrid.

**Willard, D.A.**

Grantz, A., Pease, V.L., Willard, D.A., Phillips, R.L., and Clark, D.L., 2001. Bedrock cores from 89° North: Implications for the geologic framework and Neogene paleoceanography of Lomonosov Ridge and a tie to the Barents shelf. GSA Bulletin 113: 1272-1281.

## PALEOZOIC PALYNOLOGY

### Ottone, E.G.

Ottone, E. G., Holfeltz, G. D., Albanesi, G. L. and Ortega, G. 2001. Chitinozoans from the Ordovician Los Azules formation, central Precordillera, Argentina. *Micropaleontology* 47: 97-110.

### Taylor, W.A.

Taylor, W.A. 2001 Evolutionary hypothesis of cryptospore producing plants based on wall ultrastructure. In D.K. Goodman and R.T. Clarke [eds.], *Proceedings of the Ninth International Palynological Congress*, Houston, Texas, U.S.A., 1996. American Association of Stratigraphic Palynologists Foundation. pp. 11-15.

Taylor, W.A. in press. Studies in cryptospore ultrastructure: variability in the tetrad genus *Tetrahedraletes* and type material of the dyad *Dyadospora murusattenuata*. Review of Palaeobotany and Palynology.

### Willard, D.A.

Grantz, A., Pease, V.L., Willard, D.A., Phillips, R.L., and Clark, D.L., 2001. Bedrock cores from 89° North: Implications for the geologic framework and Neogene paleoceanography of Lomonosov Ridge and a tie to the Barents shelf. *GSA Bulletin* 113: 1272-1281.

## MESOZOIC

### Archangelsky, S.

Del Fueyo, G.M. & Archangelsky, S. 2001. New studies on *Karckenia incurva* Archang. from the Early Cretaceous of Argentina. *Palaeontographica B* 256: 111-121.

Archangelsky, S. 2001. Evidences of an Early Cretaceous floristic change in Patagonia. Special Public. Argentine Paleontologica Society (VII International Symposium on Mesozoic Terrestrial Ecosystems, Buenos Aires 2000), 7: 15-19.

### Ash, S.R.

Ash, S. R. 2001. New cycadophytes from the Upper Triassic Chinle Formation in the southwestern United States. *PaleoBios* 21: 15-28.

Ash, S. R. 2001. The fossil ferns of Petrified Forest National Park, Arizona, and their paleoecological implications. In Santucci, V. L., and McClelland, L. [eds.], *Proceedings of the 6th Fossil Resource Conference*, 3-10. National Park Service, Geologic Resources Division, Lakewood CO. 80227.

### Del Fueyo, G.M.

Del Fueyo, G.M. & S. Archangelsky. 2001. New studies on *Karckenia incurva* Archang. from the Early Cretaceous of Argentina. Evolution of the seed cone in Ginkgoales. *Palaeontographica* 256: 111-121.

Del Fueyo, G.M. and Archangelsky, A. in press. *Araucaria grandifolia* Feruglio from the Lower Cretaceous of Patagonia, Argentina. *Cretaceous Research*.

### Gee, C.T.

Gee, C.T., Meyer, C.A. and van Konijnenberg-van Cittert, J.H.A. Work in press since 1998. The first unequivocal sphenophytes from the Late Jurassic of northwestern Switzerland (late Oxfordian Vellerat Formation) -- Paleobotany and implications for facies interpretation. *Courier Forschungsinstitut Senckenberg*.

### Grauvogel-Stamm, L.

Lugardon, B., Grauvogel-Stamm, L. and Dobruskina, I. 2000. Comparative ultrastructure of the megaspores of the Triassic Lycopoid *Pleuromeia rossica* Neuburg. - *C. R. Acad. Sci. Paris*, 330, IIa: 501-508.

Rothwell, G.W., Grauvogel-Stamm L. and Mapes G. 2000 An herbaceous fossil conifer: Gymnospermous ruderals in the evolution of Mesozoic vegetation. - *Palaeogeogr., Palaeoclimatol., Palaeoecol.*, 156: 139-145; Erratum, 161: 479.

Grauvogel-Stamm L. and Lugardon, B. 2001 The Triassic lycopsids *Pleuromeia* and *Annalepis*: relationships, evolution and origin. - *American Fern Journal* 91(3): 115-14

Grauvogel-Stamm L., Meyer-Berthaud, B. and Vozenin-Serra C. 2001 Permineralized conifer axes from the Middle Triassic of Switzerland:

morphology and affinities. Courier  
Forschungsinstitut Senckenberg (à l'impression).

**Herendeen, P.S.**

Lupia, R., Herendeen, P. S., and Keller, J. A. in press. A new fossil flower and associated coprolites: evidence for angiosperm-insect interactions in the Santonian (Late Cretaceous) of Georgia, U.S.A. *International Journal of Plant Sciences*.

Takahashi, M., Herendeen, P. S., and Crane, P. R. in press. Lauraceous fossil flowers from the Kamikitaba Locality (Lower Coniacian; Upper Cretaceous) in northeastern Japan. *Journal of Plant Research*.

Magallón, S., Herendeen, P. S. and Crane, P. R. 2001. Floral diversity in Hamamelidoideae (Hamamelidaceae): *Androdecidua endressi* gen. et sp. nov. from the late Santonian (Late Cretaceous) of Georgia, U.S.A. *International Journal of Plant Sciences* 162: 963-983.

**Klavins, S.D.**

Klavins, S. D., Taylor, T. N., and Taylor, E. L. 2002. Anatomy of the ovulate cupules of *Umkomasia* (Corytospermales) from the Triassic of Antarctica. *American Journal of Botany* 89: 688 - 700.

Klavins, S. D., Taylor, E. L., and Taylor, T. N. 2001. Anatomy of the ovulate cupules of *Umkomasia* (Corytospermales) from the Triassic of Antarctica. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 66.

**Krings, M.**

Axsmith, B.J., Krings, M. and Taylor, T.N. 2001. A filmy fern from the Upper Triassic of North Carolina (U.S.A.). *American Journal of Botany* 88: 1558-1567.

**Magallón, S**

Magallón, S., Herendeen, P.S. and Crane, P.R. 2001. *Androdecidua endressii* gen. et sp. nov., from the Late Cretaceous of Georgia (United States): further floral diversity in Hamamelidoideae (Hamamelidaceae). *International Journal of Plant Sciences* 162: 963-983.

Magallón, S., and Sanderson, M.J. 2001. Absolute diversification rates in angiosperm clades. *Evolution* 55: 1762-1780.

**Mapes, G.**

Ratzel, S.R., Rothwell, G.W., Mapes, G., Mapes, R.H. and Doguzhaeva, L.A. 2001. *Pityostrobus hokodzensis*, a new species of pinaceous cone from the Cretaceous of Russia. *Journal of Paleontology* 75: 895-900.

**Retallack, G.J.**

Retallack, G.J. 2002. in press, *Lepidopteris callipteroides* (Carpentier) comb. nov., the earliest Triassic seed fern in the Sydney Basin, New South Wales. *Alcheringa*.

**Rothwell, G.W.**

Ratzel, S.R., Rothwell, G.W., Mapes, G., Mapes, R.H. and Doguzhaeva, L.A. 2001. *Pityostrobus hokodzensis*, a new species of pinaceous cone from the Cretaceous of Russia. *Journal of Paleontology* 75: 895-900.

Stockey, R.A., Rothwell, G.W., Addy, H.D. and Currah, R.S. 2001. Mycorrhizal association of the extinct conifer *Metasequoia milleri*. *Mycological Research* 105: 202-205.

Rothwell, G.W., Taylor, E.L. and Taylor, T.N. 2002. in press, *Ashicaulis woolfei* n. sp, additional evidence for the antiquity of osmundaceous ferns from the Triassic of Antarctica. *American Journal of Botany*.

Rothwell, G.W. and Stockey. R. 2001. Pollen Tubes, contractile tissue, and pollination biology in Cycadeoidales/Bennettitales. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 25.

Stockey, R.A. and Rothwell, G.W. 2001. Permineralized cycad seeds from the Jurassic of British Columbia, Canada. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 70.

Stockey, R.A. and Rothwell, G.W. 2001. An ovulate *Williamsonia* cone from the Upper Cretaceous of western North America. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.).

Rothwell, G.W. and Stockey, R. 2001. Systematic characters of ovulate *Cycadeoidea/Bennettites* cones from the Cretaceous of Vancouver Island, British

Columbia, Canada. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 69.

Rothwell, G.W. and Stockey, R.A. 2001. Pollen tubes, contractile tissue, and pollination biology in Cycadeoidales/Bennettitales. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 25.

Stockey, R.A. and Rothwell, G.W. 2001. Fossil seeds and pollination biology in Mesozoic plants from British Columbia. Fourth British Columbia Paleontological Symposium Kamloops, BC - Abstracts. p 27.

Rothwell, G.W. and Stockey, R.A. 2001. Anatomically preserved cycadeoid cones from the Cretaceous of Vancouver and Hornby Islands. 4<sup>th</sup> BC Paleontological Symposium Kamloops, BC - Abstracts p 25.

#### **Skog, J.E.**

Skog, J. E. 2001. Biogeographic Distribution of Mesozoic Ferns related to modern fern families. *Brittonia*. 53: 236-269

#### **Smith, U.R.**

Smith, U. R. 2001. Revision of the Cretaceous fossil genus *Palaeoaster* (Papaveraceae) and clarification of pertinent species of *Eriocaulon*, *Palaeoaster*, and *Sterculiocarpus*. *Novon* 11: 258--260.

#### **Sun G**

Sun G., Mosbrugger V., Li J. and Cheng X.S. 2001. Late Triassic flora of the Junggar Basin, Xinjiang, China. *Proc. Sino-German Symp. Preh. Lif. Geol. Junggar Bas. Xinjiang, China*: 8-20

#### **Taylor, E.L.**

Taylor, T.N., and Taylor, E.L. 2000. Fungi in palaeoecosystems. *In: Palaeobiology II* (Briggs, D.E.G. and Crowther, P.R. [eds.], Blackwell Science, Ltd., Oxford, U.K., pp 464-467.

Klavins, S.D., Taylor, T.N., and Taylor, E.L. 2002. in press, Anatomy of *Umkomasia* (Corystospermales) from the Triassic of Antarctica. *American Journal of Botany*.

Klavins, S.D., Taylor, E.L., and Taylor, T.N. 2001. Anatomy of the ovulate cupules of *Umkomasia* (Corystospermales) from the Triassic of Antarctica. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.)

#### **Wheeler, E.A.**

Lehman, T.M. and Wheeler, E.A. 2001. Fossil dicotyledonous forest from the Upper Cretaceous of Big Bend National Park, Texas. *Palaios* 16: 102-108.

#### **Zhou, Z.**

Zhou Zhiyan, Wu Xiangwu and Zhang Bole, 2001. *Tharrisia*, a new fossil organ genus, with description of three species from China. *Palaeontographica B* 256: 95-109.

Zhou Zhiyan, Wu Xiangwu et al., Bibliography of Chinese Palaeobotany (Megafossils) (1865-2000)

Zhou Zhiyan, Zhang Bole, Wang Yongdong and Guignard, G., A new *Karkenian* (Ginkgoales) from the Jurassic Yima Formation, Henan, China and its megaspore membrane ultrastructure. *Rev Palaeobot. Palynol.*

Thevenard, F., Guignard, G., Gomez, B. and Zhou. Z., 2000. Genere *Glenrosa*, exemple de plantes xerophytes ou accommodation physiologique? *Monografias de la Academia de Ciencias, fascias Quimicas y Naturales de Zaragoza* (Spain), 16: 45-51.

## **MESOZOIC PALYNOLOGY**

Gee, C.T. 2001. The mangrove palm *Nypa* in the geologic past of the New World. *In* Duke, N.C. and Schwarzbach, A.E. [guest eds.], *Life on the Edge: Past and Future of Mangroves*. *Wetlands Ecology and Management*, 9: 181-194.

Gee, C.T. and Mörs, T. 2001. Aquatic macrophytes from the upper Oligocene fossilagerstätte of Rott (Rhineland, Germany). Part I: Seeds. *Palaeontographica, Abt. B.*, 259: 33-45.

#### **Grauvogel-Stamm, L.**

Lugardon B., Grauvogel-Stamm L. and Dobruskina I. 2000 Comparative ultrastructure of the megaspores of the Triassic Lycopsid *Pleuromeia rossica* Neuburg. - *C. R. Acad. Sci. Paris*, 330, IIa : 501-508.



**Ottone, E.G.**

Ottone, E. G. and Pérez Loinaze, V. S. 2001. A new dinoflagellate from the Lower Cretaceous of Argentina. *Ameghiniana* 38.

Ottone, E. G. and Rodriguez Amenábar, C. 2001: A new disaccate pollen grain from the Triassic of Argentina. *Ameghiniana* 38: 157-161

**Srivastava, S.K.**

Srivastava, S. K. 2000 Palaeogeography of some Neocomian-Albian pollen and their significance in the evolution of phytogeoprovinces around the Early Cretaceous Atlantic Ocean. *In*: Harley, M. M., Morton, C. M. and Blackmore, S. [eds.], *Pollen and Spores: Morphology and Biology*, 451-466. Royal Botanic Garden, Kew.

**Sun, G.**

Ashraf A.R., Wang X.F., Ge Sun, Li J. and Mosbrugger V. 2001. Palynostratigraphic analysis of the Huangshanjie-, Haojiagou- and Badaowan formations in the Junggar Basin (NW China). *Proc. Sino-German Symp. Preh. Lif. Geol. Junggar Bas. Xinjiang, China*: 40-64

**TERTIARY**

**Farley, M.B.**

Farley, M.B. 2001. Vegetation response to long-term climate change in the Paleogene of the Bighorn Basin, Wyoming. *International Conference on Climate and Biota of the Early Paleogene, Powell, Wyoming*. (abstr.)

**Fairon-Demaret, M.**

Gerrienne, P., Damblon, F., Fairon-Demaret, M. Hauregard, F. Petricevic, D. and Smith, T. La forêt fossile d'Overlaar, Belgique (transition Paléocène-Eocène). *Monografias Academia Ciencias, Exactas Fisicas, Quimicas y Naturales de Zaragoza* 16: 27 – 30.

Magioncalda, R., Dupuis, C., Blamart, D., Fairon-Demaret, M., Perreau, M., Renard, M., Riveline, J., Roche, M. and Keppen, E. 2001 L'<sup>13</sup>excursion isotopique du carbone organique (d<sup>13</sup>C<sub>Org</sub>) dans les paléoenvironnements continentaux de l'intervalle Paleocène/Eocène de Varangeville (Haute-

Normandie). *Bulletin de la Société géologique de France* 3: 349-358.

**Gee, C.T.**

Gee, C.T. 2001. The mangrove palm *Nypa* in the geologic past of the New World. *In* Duke, N.C. and Schwarzbach, A.E. [guest eds.], *Life on the Edge: Past and Future of Mangroves. Wetlands Ecology and Management*, 9: 181-194.

**Ickert-Bond, S.M.**

Pigg, K.B., Wehr, W.C. and Ickert-Bond, S.M. *Trochodendron* and *Nordenskioldia* (Trochodendraceae) from the Middle Eocene of Washington State, U.S.A. *Int. J. Plant Science* 162(5): 1187-1198.

**Jacobs, B.F.**

Harrison, T., Msuya, C., Murray, A., Jacobs, B., Baez, A., Ludwig, K. and Mundil, R. 2001. Paleontological investigations at the Eocene locality of Mahenge in north-central Tanzania, East Africa. *In* Gunnell, G. [ed.], *Eocene biodiversity: rarely sampled habitats and unusual occurrences*, p 39-74. Plenum Press, New York.

Jacobs, B.F. in press. Estimation of low latitude paleoclimates using fossil angiosperm leaves: examples from the Miocene Tugen Hills, Kenya. *Paleobiology*.

**Johnson, K.R.**

Evanoff, E., Gregory-Wodzicki, K. M., Johnson, K. R. 2001. Fossil flora and stratigraphy of the Florissant Formation, Colorado. *Proceedings of the Denver Museum of Nature & Science, series 4, no. 1*, 218 pp.

Wilf, P., Labandeira, C.C., Johnson, K.R., Coley, P.D., and Cutter, A.D. 2001. Insect herbivory, plant defense, and early Cenozoic climate change. *Proceedings of the National Academy of Sciences USA* 98: 6221-6226.

**LePage, B.A.**

Labandeira, C.C., LePage, B.A. and Johnson, A.H. 2001. A *Dendroctonus* bark engraving (Coleoptera: Scolytidae) from a middle Eocene *Larix* (Coniferales: Pinaceae): early or delayed

colonization? *American Journal of Botany* 88:  
2026-2039.

LePage, B.A. 2001. New species of *Picea* (Pinaceae) from the middle Eocene of Axel Heiberg Island, Arctic Canada. *Botanical Journal of the Linnean Society* 135: 137-167.

Jagels, R., LePage, B.A. and Jiang, M. 2001. Definitive identification of *Larix* wood based on anatomy from the Eocene of Axel Heiberg Island, Canadian High Arctic. *IAWA Journal* 22: 73-83.

### **Liu, Y.S.**

Liu, Y.S., Zetter, R., Mohr, B.A.R. and Ferguson, D.K. 2001. The flowers of an extinct legume from the Miocene of southern Germany. *Palaeontographica Abteilung B Palaeophytologie* 256(4-6): 159-174.

### **Magallon, S.A.**

Magallón, S., and Sanderson, M.J. 2001. Absolute diversification rates in angiosperm clades. *Evolution* 55: 1762-1780.

### **Manchester, S.R.**

Kvacek, Z., Hably, L. and Manchester, S.R. 2001. *Sloanea* (Elaeocarpaceae) fruits and foliage from the Early Oligocene of Hungary and Slovenia. *Palaeontographica Abt. B*, 259: 113-124.

Kvacek, Z., Manchester, S.R., and Guo, Shuang-xing. 2001. Trifoliolate leaves of *Platanus bella* (Heer) comb. n. from the Paleocene of North America, Greenland, and Asia and their relationships among extinct and extant Platanaceae. *International Journal of Plant Sciences* 162: 441-458.

Kvacek, Z., Manchester, S.R., Zetter, R. and Pinggen, M. in press. Fruits and seeds of *Craigia bronniei* (Malvaceae: Tilioideae) and associated flower buds from the late Miocene Inden Formation, Lower Rhine Basin, Germany. *Acta Paleobotanica*.

Manchester, S.R. in press. Leaves and fruits of *Davidia* (Cornales) from the Paleocene of North America and eastern Asia. *Systematic Botany*.

Manchester, S.R. 2001. Leaves and fruits of *Aesculus* (Sapindales) from the Paleocene of North America. *International Journal of Plant Science* 162(4): 985-998.

Manchester, S.R. 2001. Update on the megafossil flora of Florissant, Colorado, USA. In Evanoff, E., Gregory-Wodzicki K.M., Johnson K.R. [eds.], *Fossil flora and stratigraphy of the Florissant Formation, Colorado*. Proceedings of the Denver Museum of Nature and Science, Series 4, No. 1, 137-161.

Manchester, S.R. and Tiffney B.H. 2001. Integration of paleobotanical and neobotanical data in the assessment of phytogeographic history of holarctic angiosperm clades. *International Journal of Plant Sciences* 162 (6, supplement): S19-S27.

McClain, A.M. and Manchester, S.R. 2001. *Dipteronia* (Sapindaceae) from the Tertiary of North America and implications for the phytogeographic history of the Aceroidae. *American Journal of Botany* 88(7): 1316-1325.

Pingen, M., Kvacek, Z. and Manchester, S.R. in press. Früchte und Samen von *Craigia bronniei* aus dem Obermiozän von Hambach (Niederrheinische Bucht - Deutschland). *Documenta Naturae*, München.

Tiffney B.H. and Manchester, S.R. 2001. The use of geological and paleontological evidence in evaluating plant phylogeographic hypotheses in the Northern Hemisphere Tertiary. 162 (6, supplement): S3-S17.

### **Meyer, H.W.**

Meyer, H.W. 2001. A review of the paleoelevation estimates for the Florissant flora. In: Evanoff, E., Gregory-Wodzicki, K. and Johnson, K. [eds.], *Fossil Flora and Stratigraphy of the Florissant Formation, Colorado*. Proceedings of the Denver Museum of Nature and Science, Series 4, No. 1, p. 205-216.

### **Pigg, K.B.**

Pigg, K.B., and Rothwell, G. W. 2001. Anatomically preserved *Woodwardia virginica* (Blechnaceae) and a new filicalean fern from the middle Miocene Yakima Canyon flora of central Washington, USA. *American Journal of Botany* 88: 777-787.

Pigg, K. B., Wehr, W. C., and Ickert-Bond, S. M. 2001. *Trochodendron* and *Nordenskiöldia* (Trochodendraceae) from the middle Eocene of Washington State, U.S. A. *International Journal of Plant Sciences* 162: 1187-1198.

DeVore, M. L., Pigg, K. B., and Mouton, S.J. 2001. Permineralized fruit with malvacean affinities from the Late Paleocene Almont flora, North Dakota. Botany 2001 Abstracts: p 62-63. .

Hansen, A, and Pigg, K. B. 2001. Taxodiaceous conifers from the middle Miocene Yakima Canyon flora, Washington State, USA. Botany 2001 Abstracts: p 71.

Henry, A. M., and Pigg, K. B. 2001. Hamamelidaceous infructescences from the Late Paleocene Almont, North Dakota flora. Botany 2001 Abstracts: p 72.

Pigg, K. B. 2001. The role of permineralized plants in understanding plant diversity, phylogeny, and paleoenvironment: the Miocene Yakima Canyon chert. NAPC (Abstracts)

Pigg, K.B., DeVore, M. L., Dilcher, D L., and Freile, D. 2001. Fagaceous infructescences from the Oligocene Catahoula Formation of Texas. Botany 2001 Abstracts: p 68.

Radke, M. G., Pigg, K. B, and Wehr, W. C. 2001. Fossil *Corylopsis* and other Hamamelidaceae-like leaves from the middle Eocene flora of Republic, Washington, U.S.A. Botany 2001 Abstracts: p 72.

Tcherepova, M, and Pigg, K. B. 2001. Permineralized *Nyssa* (Cornaceae) and additional endocarps of uncertain affinity from the middle Miocene Yakima Canyon flora, Washington State, USA. Botany 2001 Abstracts. P 72.

### **Retallack, G.J.**

Retallack, G.J., Wynn, J.G., Benefit, B.R. and McCrossin, M.L. in press, 2002 Paleosols and paleoenvironments of the middle Miocene, Maboko Formation, Kenya. Journal of Human Evolution.

Retallack G.J. and Tanaka, S. 2002, in press, Late Miocene advent of tall grassland paleosols in central Oregon. Palaeogeography, Palaeoclimatology, Palaeoecology

Retallack, G. J. 2002. in press, Late Miocene (Clarendonian) fossil plants and animals from Unity, Baker, County Oregon. Abstracts of the Annual meeting of the Cordilleran Section of the Geological Society of America.

Retallack, G. J. and Smith, M. 2002, in press, Late Miocene sediments and fossils from Unity, Baker County, Oregon. Proceedings of the Oregon Academy of Sciences.

Retallack, G.J. 2001. Cenozoic expansion of grasslands and global cooling. Journal of Geology 109: 407-426.

Retallack, G.J. 2001. Did grasslands spread with Cenozoic drying and cooling, or vice versa? Paleobios (Program and Abstracts North American Paleontological Convention) 21(supplement to 2): 108.

Retallack, G.J. 2001. Fossil plant cuticular evidence for high atmospheric carbon dioxide during the middle Miocene thermal optimum. Abstracts of the Geological Society of America 33(6): A336.

Retallack, G.J., Krull, E.S. and Bockheim, J.G. 2001. New grounds for reassessing palaeoclimate of the Sirius Group, Antarctica. Journal of the Geological Society of London 158: 925-935.

Sheldon, N.D. and Retallack, G.J. 2001, Geochemical climate transfer functions from North American soils and application to paleosols across the Eocene-Oligocene boundary. Eos Transactions American Geophysical Union Fall Supplement 82(47): F787.

Prothero, D.R & Retallack, G.J. 2001. Magnetic stratigraphy of the Eocene-Oligocene Eugene/Fisher Formations, western Oregon: implications for the "terminal Eocene Event". Paleobios (Program and Abstracts North American Paleontological Convention) 21(supplement to 2): 106.

Retallack, G.J. 2001. Milankovitch-scale paleoclimatic fluctuation through 5 million years of the upper Oligocene John Day Formation, Oregon. Proceedings of the Oregon Academy of Sciences 37: 51.

Retallack, G.J. and Wynn, J.G. 2001. Milankovitch-scale fluctuations in mammal communities in the upper John Day Formation (29-24 Ma), central Oregon. Journal of Vertebrate Paleontology Abstracts 21(supplement 3): 92A.

### **Rothwell, G.W.**

Pigg, K.B. and Rothwell, G.W. 2001. Anatomically preserved *Woodwardia virginica* (Blechnaceae) and a new filicalean fern from the middle Miocene Yakima Canyon flora of central Washington, USA. *American Journal of Botany* 88: 777-787.

Stockey, R.A., Rothwell, G.W. and Falder, A.B. 2001. Diversity among taxodiaceous conifers: *Metasequoia foxii* sp. nov from the Paleocene of central Alberta, Canada. *International Journal of Plant Sciences* 162: 221-234.

Stockey, R.A., Rothwell, G.W., Addy, H.D. and Randolph .S. 2001. Mycorrhizal association of the extinct conifer *Metasequoia milleri*. *Mycological Research* 105: 202-205.

**Taylor, E.L.**

Phipps, C.J., Taylor, T.N., Taylor, E.L., and Rember, W.C. 2001. Fossil fungi from the Miocene of Idaho. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.)

**Tiffney, B.H.**

Tiffney, B. H. 2000. Geographic and climatic influences on the Cretaceous and Tertiary history of Euramerican floristic similarity. *Acta Universitatis Carolinae -Geologica* 44: 5 -16.

Wang, N. & B. H. Tiffney. 2001. Seeds of *Rhododendron* (Ericaceae) from the Late Eocene of California. *Palaeontographica, Abt. B* 259: 245 -254.

Tiffney, B. H. and S. R. Manchester. 2001. The Use of Geological and Paleontological Evidence in Evaluating Plant Phylogeographic Hypotheses in the Northern Hemisphere Tertiary. *International Journal of Plant Sciences* 162 (6 supplement): s3-s17

Manchester, S. R. and B. H. Tiffney. 2001. Integrating Paleobotanical and Neobotanical data in the Assessment of Phytogeographic History of Holarctic Angiosperm Clades. *International Journal of Plant Sciences* 162 (6 supplement): s19 - s27.

**Wheeler, E.A.**

Wheeler, E.A. 2001. Fossil dicotyledonous woods from the Florissant Fossil Beds National Monument, Colorado. *In: E. Evanoff, Gregory-Wodzicki, K.M., and Johnson, K.R. [eds.], Stratigraphy and Fossil Flora of the Florissant Formation, Colorado. Proceedings Denver Museum of Science and Nature, Series 4 (1): 197-214.*

Wheeler, E.A. and Manchester, S.R. in press. Woods of the Middle Eocene Nut Beds Flora, Clarno Formation, Oregon, USA. *IAWA Journal, Supplement* 3.

**Wilf, P.**

Wilf, P., Labandeira, C.C., Johnson, K.R. Coley, P.D. and Cutter, A.D. 2001. Insect herbivory, plant

defense, and early Cenozoic climate change. *Proceedings of the National Academy of Sciences USA* 98: 6221-6226.

Burnham, R. J., Pitman, N.C.A., Johnson, K.R. and Wilf, P. 2001. Habitat-related error in estimating temperatures from leaf margins in a humid tropical forest. *American Journal of Botany* 88: 1096-1102.

**Willard, D.A.**

Grantz, A., Pease, V.L., Willard, D.A., Phillips, R.L., and Clark, D.L., 2001. Bedrock cores from 89° North: Implications for the geologic framework and Neogene paleoceanography of Lomonosov Ridge and a tie to the Barents shelf. *GSA Bulletin* 113: 1272-1281.

**TERTIARY PALYNOLOGY**

**Graham, A.**

Graham, A., Gregory-Wodzicki, K.M. and Wright, K.L. 2001. Studies in neotropical paleobotany. XV. A Mio-Pliocene palynoflora from the Eastern Cordillera, Bolivia: implications for the uplift history of the Central Andes. *American Journal of Botany* 88: 1545-1557.

Graham, A. 2001. Geologia y paleobotanica. *In Stevens, W.D., Ulloa, C.U., Pool, A. and Montiel, O.M. [eds.], Flora de Nicaragua, 28-29. Missouri Botanical Garden, St. Louis.*

**Johnson, K.R.**

Evanoff, E., Gregory-Wodzicki, K. M., Johnson, K. R. 2001. Fossil flora and stratigraphy of the Florissant Formation, Colorado. *Proceedings of the Denver Museum of Nature & Science, series 4, no. 1, 218 pp.*

**Willard, D.A.**

Grantz, A., Pease, V.L., Willard, D.A., Phillips, R.L., and Clark, D.L., 2001. Bedrock cores from 89° North: Implications for the geologic framework and Neogene paleoceanography of Lomonosov Ridge and a tie to the Barents shelf. *GSA Bulletin* 113: 1272-1281.

## QUATERNARY

### Alcade Olivares, C.

Alcalde Olivares, C.; García-Amorena, I.; Gómez Manzanque, F.; Maldonado Ruíz, J.; Morla Juaristi, C. and Postigo Mijarra, J.M. 2001. Estudio de los macrorrestos vegetales del yacimiento de Lomilla (Aguilar de Campoo, Palencia, España). *Anales Jardín Botánico de Madrid* 59 (1): 101-112

Franco Múgica, F., García Antón, M., Maldonado Ruiz J., Morla Juaristi, C. and Sainz Ollero, H. 2001. The Holocene history of *Pinus* forest in the Northern Spanish Meseta. *The Holocene* 11(3): 343-258.

Franco, F.; Gómez Manzanque, F.; Maldonado, F.J.; Morla, C. and Postigo J.M<sup>a</sup>. 2000. El papel de los pinares en la vegetación holocena de la península Ibérica. *Ecología* 14: 235-251.

### Willard, D.A.

Willard, D.A., Cronin, T.M., and Verardo, S. in press. Late Holocene climate and ecosystem history from Chesapeake Bay sediment cores. *The Holocene*.

Willard, D.A., Holmes, C.W., Korvela, M., Mason, D., Murray, J.B., Orem, W.H., and Towles, T. 2002. in press, Paleoecological insights on fixed tree-island development in the Florida Everglades: I. Environmental controls. In Sklar, F. and van der Valk, A. [eds.], *Tree Islands of the Everglades*. Kluwer Publishers, Amsterdam.

Colman, S.M., Baucom, P.C., Bratton, J.F., Cronin, T.M., McGeehin, J.P., Willard, D.A., Zimmerman, A.R., and Vogt, P.R., 2002. Radiocarbon dating, chronologic framework, and changes in accumulation rates of Holocene estuarine sediments from Chesapeake Bay. *Quaternary Research* 57: 58-70.

Willard, D.A., Weimer, L.M., and Riegel, W.L., 2001. Pollen assemblages as paleoenvironmental proxies in the Florida Everglades. *Review of Palaeobotany and Palynology* 113: 213-235.

Willard, D.A., Holmes, C.W., and Weimer, L.M., 2001. The Florida Everglades ecosystem: climatic and anthropogenic impacts over the last two

millennia. *Bulletins of American Paleontology* 361: 41-55.

Edwards, L.E., and Willard, D.A. 2001: Dinoflagellate cysts and pollen from sediment samples, Mississippi Sound and Gulf of Mexico. In Gohn, G.S. [ed.], *Paleontology and geology of Mississippi Sound sediments*. U.S. Geological Survey Open-File Report 01-415.

Willard, D.A. and Korejwo, D.A. 2000: Holocene palynology from *Marion-Dufresne* cores MD99-2209 and 2207 from Chesapeake Bay, impacts of climate and historic land-use change. In Cronin, T.M., [ed.], *Initial report on IMAGES V cruise of the Marion-Dufresne to Chesapeake Bay June 20-22, 1999*. U.S. Geological Survey Open-File Report 00-306, 78-86.

Willard, D.A., Cronin, T.M., and Ishman, S.E., 2000. Long-term patterns of vegetational and salinity change in the Lake Pontchartrain region, Louisiana. U.S. Geological Survey Open-file Report 00-520, 35 pp

Cronin, T., Willard, D., Karlson, A., Ishman, S., Verardo, S., McGeehin, J., Kerhin, R., Holmes, C., Colman, S., and Zimmerman, A. 2000: Climatic variability in the eastern United States over the past millennium from Chesapeake Bay sediments. *Geology* 28: 3-6.

Karlson, A.W., Cronin, T.M., Ishman, S.E., Willard, D.A., Kerhin, R., Holmes, C.W., and Marot, M. 2000: Historical trends in Chesapeake Bay dissolved oxygen based on benthic foraminifera from sediment cores. *Estuaries* 23, 488-508

Willard, D.A., and Edwards, L.E., 2001. Palynomorph biostratigraphy and paleoecology of subsurface upper Neogene and Quaternary sediments in southern Jackson County, Mississippi. In Gohn, G.S., [ed.], *Stratigraphic framework of the Neogene and Quaternary sediments of the Mississippi coastal zone, Jackson County, Mississippi*. U.S. Geological Survey Open-file Report 01-415.

## QUATERNARY PALYNOLOGY

### Willard, D.A.

Willard, D.A., Cronin, T.M., and Verardo, S. in press. Late Holocene climate and ecosystem history from Chesapeake Bay sediment cores. *The Holocene*.

Willard, D.A., Holmes, C.W., Korvela, M., Mason, D., Murray, J.B., Orem, W.H., and Towles, T. 2002. in press, Paleoecological insights on fixed tree-island development in the Florida Everglades: I.

Environmental controls. In: Sklar, F. and van der Valk, A. [eds.], *Tree Islands of the Everglades*. Kluwer Publishers, Amsterdam.

Colman, S.M., Baucom, P.C., Bratton, J.F., Cronin, T.M., McGeehin, J.P., Willard, D.A., Zimmerman, A.R., and Vogt, P.R., 2002. Radiocarbon dating, chronologic framework, and changes in accumulation rates of Holocene estuarine sediments from Chesapeake Bay. *Quaternary Research* 57: 58-70.

Willard, D.A., Weimer, L.M., and Riegel, W.L., 2001. Pollen assemblages as paleoenvironmental proxies in the Florida Everglades. *Review of Palaeobotany and Palynology* 113: 213-235.

Willard, D.A., Holmes, C.W., and Weimer, L.M., 2001. The Florida Everglades ecosystem: climatic and anthropogenic impacts over the last two millennia. *Bulletins of American Paleontology* 361: 41-55.

Edwards, L.E., and Willard, D.A. 2001: Dinoflagellate cysts and pollen from sediment samples, Mississippi Sound and Gulf of Mexico. In Gohn, G.S. [ed.], *Paleontology and geology of Mississippi Sound sediments*. U.S. Geological Survey Open-File Report 01-415.

Willard, D.A. and Korejwo, D.A. 2000: Holocene palynology from *Marion-Dufresne* cores MD99-2209 and 2207 from Chesapeake Bay, impacts of climate and historic land-use change. In Cronin, T.M. [ed.], *Initial report on IMAGES V cruise of the Marion-Dufresne to Chesapeake Bay June 20-22, 1999*. U.S. Geological Survey Open-File Report 00-306, 78-86.

Willard, D.A., Cronin, T.M., and Ishman, S.E., 2000. Long-term patterns of vegetational and salinity change in the Lake Pontchartrain region, Louisiana. U.S. Geological Survey Open-file Report 00-520, 35 pp

Cronin, T., Willard, D., Karlson, A., Ishman, S., Verardo, S., McGeehin, J., Kerhin, R., Holmes, C., Colman, S., and Zimmerman, A. 2000: Climatic variability in the eastern United States over the past millennium from Chesapeake Bay sediments. *Geology* 28: 3-6.

Karlson, A.W., Cronin, T.M., Ishman, S.E., Willard, D.A., Kerhin, R., Holmes, C.W., and Marot, M.

2000: Historical trends in Chesapeake Bay dissolved oxygen based on benthic foraminifera from sediment cores. *Estuaries* 23

## TAPHONOMY

### Boyce, C.K.

Boyce, C. K., Knoll, A. H., and Hazen, R. M. 2001. Nondestructive, *in situ*, cellular-scale mapping of elemental abundances including organic carbon in permineralized fossils. *Proceedings of the National Academy of Sciences USA* 98: 5970-5974.

### Gastaldo, R.A.

Gastaldo, R.A. 2001. Plant Taphonomy. In Briggs, D.E.G. and Crowther, P.R., [eds.], *Palaeobiology II*, 314-317. Blackwell Scientific, Oxford.

### Johnson, K.R.

Burnham, R. J., Pitman, N. C. A., Johnson, K. R., Wilf, P. 2001. Habitat-related error in estimating temperatures from leaf margin analyses in a humid tropical forest. *American Journal of Botany* 88: 1096-1102.

### Willard, D.A.

Willard, D.A., and Edwards, L.E., 2001. Palynomorph biostratigraphy and paleoecology of subsurface upper Neogene and Quaternary sediments in southern Jackson County, Mississippi. In Gohn, G.S. [ed.], *Stratigraphic framework of the Neogene and Quaternary sediments of the Mississippi coastal zone, Jackson County, Mississippi*. U.S. Geological Survey Open-file Report 01-415

## NON-FOSSIL

### Doyle, J.A.

Groot, E. P., Nichol, S. A., Doyle, J. A., Rost, T. L., 2001. Phylogenetic relationships and root apical meristem organization in the dicots. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p 21.

Sauquet, H., Le Thomas, A., Doyle, J. A., Hilu, K. H., Borsch, T., Chatrou, L. W., 2001. Insights into the origin and evolution of Myristicaceae (Magnoliales), based on morphological and molecular data. Annual

Quaternary Palynology, Taphonomy, Non-Fossil

meeting of the Botanical Society of America, August  
12-16, 2001, Albuquerque, NM. (abstr.), p 140.

**Graham, A.**

Graham, A. 2001. Forensic palynology: the Ruidoso plane crash. In Goodman, D.K. and Clarke, R.T. [eds.], Proceedings IX International Palynological Congress (Houston, Texas, USA, 1996), 609-612. American Association of Stratigraphic Palynologists Foundation, Dallas, Texas

**Herendeen, P.S.**

Bruneau, A., Forest, F. Herendeen, P. S. Klitgaard, B. B. and Lewis, G. P. 2001. Phylogenetic relationships in the Caesalpinioideae (Leguminosae) as inferred from chloroplast *trnL* intron sequences. Systematic Botany 26: 487-514.

**Ickert-Bond, S.M.**

Ickert-Bond, S.M. 2001. Reexamination of wood anatomical features in *Pinus krempfii* (Pinaceae). International Association of Wood Anatomists Journal 22 (4): 355-365.

Ickert-Bond, S.M. and Pinkava, D.J. 2001 Vascular plant types in the Arizona State University herbarium with a brief history of the herbarium. Sida 19(4): 850-885.

Ickert-Bond, S.M. and Cranfill, R.B. 2001. Revisiting Stapf: Phylogeny of *Ephedra*, insights from plastid genes and morphology. Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.), p. 119.

Ickert-Bond, S.M. 2001. in press, *Ephedra* L. (Ephedraceae) in Ecuador, contributions from micromorphology and anatomy. In A. Freire-Fierro y D. A. Neil- Memorias del III. Congreso Ecuatoriano de Botánica.

**Manchester, S.R.**

Manchester, S.R. 2002. Automated Multilingual Test Translation. International Organization of Palaeobotany Newsletter. 71: 3-5.

**Osborn, J.M.**

Osborn, J. M., El-Ghazaly, G. and Cooper, R.L. 2001. Development of the exineless pollen wall in *Callitriche truncata* (Callitrichaceae) and the evolution of underwater pollination. Plant Systematics and Evolution 228: 81-87.

**Skog, J.E.**

Skog, J.E., Mickel, J.T., Moran, R. and Zimmer, E.A. 2001. Phylogeny of the fern genus *Elaphoglossum* based on two chloroplast genes. American Journal of Botany, June 2001 (abstracts).

Skog, J. E., Mickel, J.T. and Zimmer, E.A. in press. Two chloroplast sequences in the fern genus *Anemia* confirm phylogeny from fossil evidence. American Fern Journal.

**Smith, U.R.**

Smith, U. R., Kuiken, C. L., and Bhattacharya, T., 2001. The evolutionary and biogeographic history of HIV-1 subtype C. In AIDS Vaccine 2001: Program and Abstracts, 112. Foundation for AIDS Vaccine Research and Development, Alexandria, Virginia. LA-UR-01-4292.

**Taylor, W.A.**

Korall, P. and Taylor, W.A. Integrating megaspore morphology and molecular phylogeny in *Selaginella* Annual meeting of the Botanical Society of America, August 12-16, 2001, Albuquerque, NM. (abstr.)

**Tiffney, B.H.**

Tiffney, B. H. 2001. Presentation of the Paleontological Society Medal to Jack A. Wolfe. Journal of Paleontology 75: 919.

Tiffney, B. H. 2001. The Christian Church and Science. California Journal of Science Education 1: 51-59.

**Wheeler, E.A.**

Powell, A.M. and Weedin, J.F. Chromosome numbers in Chihuahuan Desert Cactaceae III. Trans-Pecos Texas. American Journal of Botany 88: 481-485.

Baas, P. and Wheeler, E.A. 2001. A survey of the wood anatomy of the PROSEA timbers. In: Saw, L.G., Chua, L.S. and Khoo, K.C. [eds.], Taxonomy - the cornerstone of biodiversity. Proceedings of the Fourth International Flora Malesiana Symposium 1998, p 51-60. FRIM, Kuala Lumpur.

**Zavada, M.S.**

Zavada, M.S. and Simoes, P. 2001. The possible demi-lichenization of the basidiocarps of *Trametes versicolor* (L.:Fries) Pilat (Polyporaceae). *Northeastern Naturalist*, 8: 101-112.

Hasenstein, K.H. and Zavada, M.S. 2001. Auxin modification of the incompatibility response in *Theobroma cacao* L. *Physiologia Plantarum*, 112: 113-118.

**THESES AND DISSERTATIONS**

**Boyce, C.K.**

Boyce, C. K. 2001. Leaves, lignin, and the evolution of novel organ and cell types in early land plants. Ph.D. dissertation, Harvard University, Cambridge, MA.

**Phipps, C.J.**

Phipps, C. J. 2001. The evolution of epiphyllous fungal communities with an emphasis on the Miocene of Idaho. Ph.D. dissertation, The University of Kansas, Lawrence, Kansas.

**WORK IN PROGRESS**

**Ash, S.R.**

Creber, G. T. and Ash, S. R. The Late Triassic *Schilderia adamanica* and *Woodworthia arizonica* trees of the Petrified Forest National Park, Arizona, USA.

**Boyce, C.K.**

Boyce, C. K., Cody, G. D., Feser, M., Jacobsen, C., Knoll, A. H., and Wirick, S. Submitted. Organic chemical differentiation within fossil plant cell walls detected with X-ray spectromicroscopy.

**Doyle, J.A.**

Molecular phylogenies, morphology of "basal" angiosperms, and angiosperm outgroups.

Phylogeny and evolution of "basal" angiosperms (with P. K. Endress).

Phylogeny of living and fossil Chloranthaceae (with H. Eklund and P. S. Herendeen).

Integrating fossil and molecular data on the age of angiosperms (with M. J. Sanderson and S. Magallón).

Phylogeny and biogeography of Myristicaceae and Annonaceae (with H. Sauquet, A. Le Thomas, and T. Scharaschkin).

**Fairon-Demaret, M.**

Berry, C.M. and Fairon-Demaret, M. The architecture of *Pseudosporochnus nodosus* Leclercq et Banks: a Middle Devonian Cladoxylopsid from Belgium. *International Journal of Plant Sciences*. Work in progress.

Fairon-Demaret, M. and Smith, T. Fruits and seeds from the Tienen Formation at Dormaal, Paleocene-Eocene transition in eastern Belgium. Review of Palaeobotany and Palynology. Work in progress.

**Gastaldo, R.A.**

Murphy, S., Staub, J.R., Utgaard, J.E., and Gastaldo, R.A. Distribution of Holocene Foraminifera in the Rajang River Delta, Sarawak, East Malaysia. PALAIOS.

Gastaldo, R.A. The relationship between bedform and log orientation in a Paleogene fluvial channel, WeiBelster basin, Germany.

Pashin, J.C., and Gastaldo, R.A., Carboniferous of the Black Warrior Basin. In Wagner, R.H., and Prins-Winkler, H. [eds.], *The Carboniferous of the World*, Vol. 4.

Staub, J.R., and Gastaldo, R.A., Late Quaternary Incised-valley Fill and Deltaic Sediments in the Rajang River Delta. *SEPM Special Publication*.

Pedentchouk, N., Gastaldo, R.A., and Staub, J.R. Dispersed Organic Matter of Holocene Deposits in the Rajang River Delta, Sarawak, Malaysia. I. Palynofacies Variation Within Siliciclastic Sediments. *Sedimentary Geology*.

Pedentchouk, N., Gastaldo, R.A., and Staub, J.R., Dispersed Organic Matter of Holocene Deposits in the Rajang River Delta, Sarawak, Malaysia. II. Spatial Variation of Palynofacies Assemblages Within

Organic-Poor Siliciclastic Sediments. Sedimentary  
Geology

**Ickert-Bond, S.M.**

Ickert-Bond, S.M. Pollen dimorphism in *Ephedra* L. (Ephedraceae). (with J.J. Skvarla, and W.F. Chissoe) Review of Palaeobotany and Palynology (submitted).

**Jacobs, B.F.**

Jacobs, B.F. and Herendeen, P.S. Submitted. Eocene (46 Ma) Rainfall Estimates for Tropical East Africa Based on Fossil Leaves from Mahenge, Tanzania

**Knoll, A.H.**

Jolliff, B., Knoll, A., Morris, R., Moerschsuper, J., McSween, H., Gilmore, M., Arvidson, R., Greeley, R., Herkenhoff, K. and Squyres, S., in press. Remotely-sensed geology from lander-based to orbital perspectives: Results of FIDO rover May 2000 field tests. *Journal of Geophysical Research*.

Boyce, C.K. and Knoll, A.H., in press. Evolution of developmental potential and the multiple independent origins of leaves in Paleozoic vascular plants. *Paleobiology*.

Shen, Y., Canfield, D.E. and Knoll, A.H., in press. The chemistry of mid-Proterozoic oceans: evidence from the McArthur Basin, northern Australia. *American Journal of Science*.

Chacón-Baca, E., Beraldi-Campesi, H., Knoll, A.H., Golubic, S. and Cevallos-Ferriz, S.R., in press. 70 million year old non-marine diatoms from northern Mexico. *Geology*.

Bambach, R.K., Knoll, A.H., and Sepkoski, J.J., in press. Anatomical and ecological constraints on Phanerozoic animal diversity in the marine realm. *Proceedings, National Academy of Sciences, USA*.

Noffke, N., Knoll, A.H. and Grotzinger, J.P., in press. Sedimentary controls on the formation and preservation of microbial mats in siliciclastic deposits: a case study from the Upper Neoproterozoic Nama Group, Namibia. *Palaios*.

Porter, S.M., Meisterfeld, R. and Knoll, A.H., in press. Vase-shaped microfossils from the Neoproterozoic Chuar Group, Grand Canyon: a classification guided by modern testate amoebae. *Journal of Paleontology*.

**LePage, B.A.**

LePage, B.A., Pfefferkorn, H.W., Beauchamp, B. and Utting, J. Late Early Permian plant fossils from the Canadian High Arctic. *Palaeogeography, Palaeoclimatology, Palaeoecology* (submitted).

Jahren, A.H. and LePage, B.A. Warm Eocene conditions maintained by methanogenesis in Arctic soils. *Geology* (submitted).

Williams, C.J., Johnson, A.H., LePage, B.A., Vann, D.R. and Taylor, K.D. Reconstruction of Tertiary *Metasequoia* forests I. Test of a method for biomass determination based on stem dimensions. *Paleobiology* (submitted).

Williams, C.J., Johnson, A.H., LePage, B.A., Vann, D.R. and Sweda, T. Reconstruction of Tertiary *Metasequoia* forests II. Structure, biomass and productivity of Eocene floodplain forests in the Canadian Arctic. *Paleobiology* (submitted).

Vann, D.R., Williams, C.J. and LePage, B.A. Submitted. Possible evolution of photosystem parameters and deciduousness in response to paleoclimate seasonality in *Metasequoia glyptostroboides*. *Proceedings of the Evolution of Plant Physiology: An International Symposium*.

LePage, B.A. A new species of *Tsuga* (Pinaceae) and an assessment of the evolution and biogeographic history of the genus. *Botanical Journal of the Linnean Society* (submitted).

LePage, B.A. *Taiwania cryptomeroides* Hayata (Taxodiaceae) in the Early Cretaceous of Alaska: evolution, biogeography and paleoecology. *International Journal of Plant Sciences* (submitted).

LePage, B.A. In review. The evolution, biogeography, and paleoecology of selected genera of the Pinaceae. *Proceedings of the 4<sup>th</sup> International Conifer Conference*.

**Magallon, S.A.**

Magallón, S. and Sanderson, M.J. Relationships among seed plants according to highly conserved genes: sorting conflicting phylogenetic signals among ancient lineages.

**Manchester, S.R.**

Manchester, S.R., Akhmetiev M.A and Kodrul, T.M. Leaves and fruits of *Celtis aspera* (Newberry) comb. nov. (Celtidaceae) from the Paleocene of North America and eastern Asia. International Journal of Plant Sciences.

Manchester, S.R., Chen, Z., Lu A-M. Eastern Asian endemic plant genera and their paleogeographic history in the Northern Hemisphere. Botanical Review.

Akhmetiev, M.A., Kezina, T.V. Kodrul, T.M. and Manchester, S.R. Stratigraphy and flora of the Cretaceous-Paleogene boundary layers in the southeast part of the Zeya-Bureya sedimentary basin.

**Mapes, G.**

Mapes, G. and Rothwell, G.W. 2001. Validating the Paleozoic conifer *Emporia lockardii* (Mapes and Rothwell) Mapes and Rothwell. Taxon (submitted).

Dunn, M.T., Mapes, G. and Rothwell, G.W. 2001. *Pachytesta hexaloba*: a new species of *Pachytesta* from the Virgilian (Gzhelian) Finis Shale of Texas, USA. Journal of Paleontology (submitted).

**McElwain, J.C.**

McElwain, J.C., Willis, K.J. and Niklas, K.J. Large-scale patterns in plant macroevolution linked to rapid increases in atmospheric CO<sub>2</sub> concentration. Global Change Biology (submitted).

McElwain, J.C., Willis, K.J. and Lupia, R. (submitted book chapter) Cretaceous atmospheric CO<sub>2</sub> fluctuations and their role in the radiation and diversification of Angiosperms. In Cerling, T.E., Dearing, D. and Ehleringer, J.R. [eds]. A history of atmospheric CO<sub>2</sub> and its effect on plants, animals and ecosystems. Prospectus for Ecological Studies.

Kouwenberg, L., McElwain, J.C., Wagner, R., Kurschner, W., Visscher, H., Beerling, D.J. and Mayle, F.E. A new method of estimating paleo-atmospheric CO<sub>2</sub> concentrations from stomatal parameters of conifer leaves. American Journal of Botany (submitted).

Hesselbo, S.P., Morgans-Bell, H.S., McElwain, J.C., McAllister Rees, P., Robinson, S.A. A carbon-cycle perturbation in the Middle Jurassic and accompanying changes in terrestrial paleoenvironment. Journal of the Geological Society, London (submitted).

**Pigg, K.B.**

Wehr, W. C., and Pigg, K.B. Tertiary Flowers, Fruits and Seeds of Washington State and Adjacent Areas (Part III). Washington Geology (submitted).

**Retallack, G.J.**

Retallack, G.J. 2002. Ecological polarities of Cenozoic fossil soil, plants and animals from central Oregon. Paleobiology (submitted).

Retallack, G.J. 2002. End-Cretaceous acid rain as a selective extinction mechanism between birds and dinosaurs. In J. Wright [ed.], Florida Symposium on Dinosaur-Bird Evolution.

Retallack, G.J. 2002. Late Oligocene bunch grassland and Early Miocene sod grassland paleosols from central Oregon, U.S.A.. Palaeogeography Palaeoclimatology Palaeoecology (in preparation).

**Rothwell, G.W.**

Mapes, G. and G.W. Rothwell. 2001. Validating the Paleozoic conifer *Emporia lockardii* (Mapes and Rothwell) Mapes and Rothwell. Taxon (submitted).

Dunn, M.T., Mapes, G. and Rothwell, G.W. 2001. *Pachytesta hexaloba*: a new species of *Pachytesta* from the Virgilian (Gzhelian) Finis Shale of Texas, USA. Journal of Paleontology (submitted).

Rothwell, G.W. and Stockey, R.A. 2002. Anatomically preserved *Cycadeoidea* (Cycadeoidaceae), with a reevaluation of systematic characters for the seed cones of Bennettitales. American Journal of Botany (submitted).

**Smith, U.R.**

Novitsky, V., Smith, U. R., Gilbert, P., McLane, M. F., Chigwedere, P., Williamson, C., Ndung'u, T., Klein, I., Chang, S., Peter, T., Thior, I., Foley, B. T., Gaolekwe, S., Rybak, N., Gaseitsiwe, S., Vannberg, F., Marlink, R., Lee, T. H., and Essex, M., HIV-1 subtype C molecular phylogeny: consensus sequence

for an AIDS vaccine design. *Journal of Virology* (submitted).

**Taylor, E.L.**

McManus, H.A., Boucher, L.D., Taylor, E.L. and Taylor, T.N. 2002. A new stem with unusual anatomy from the Triassic of Antarctica. *American Journal of Botany* (submitted).

Cúneo, N.R., Taylor, E.L. and Taylor, T.N. 2002. An *in situ* fossil forest from the upper Fremouw Formation (Triassic) of Antarctica: Paleoenvironmental setting and paleoclimate analysis. *Palaeogeography, Palaeoclimatology, Palaeoecology* (submitted).

**Tomescu, A.M.F.**

Tomescu, A.M.F., Rothwell, G.W. Evidence for a lower Silurian (Llandoveryan) terrestrial biota in transitional subtidal to supratidal deposits of Ohio, USA. *Journal of Paleontology* (submitted).

**Wagner, R.H.**

Wagner, R.H. The composition and ages of the floras of the Cumberland Basin in Nova Scotia and New Brunswick.

Ameron, H.W.J. van, Gillespie, H.W. and Wagner, R.H. *Daubreeia pateraeformis* (Germar) Zeiller, a Stephanian sphenopsid from western Europe and North America; stratigraphic and palaeoecological implications.

**Wheeler, E.A.**

Baas, P., Ewers, F.W., Davis, S., and Wheeler, E.A. Evolution of xylem physiology. *In*: Poole, I. and Hemsley, A. [eds.], *The Evolution of Plant Physiology* (submitted).

Wheeler, E.A. Woods of the Denver Basin. *Rocky Mountain Geology* (submitted).

