

SECTION 10801

TOILET AND BATH ACCESSORIES

PART 1 - GENERAL

1.1 PROJECT INCLUDES

- A. Unless otherwise noted, toilet accessories are supplied by Dartmouth College and installed by the Contractor.

1.2 DESIGN DIRECTIVES

- A. Designer shall confer with the FPO or FO&M representative the sanitary napkin cost, if any, for the sanitary napkin vender.
- B. All bathrooms shall be equipped with stainless steel shelving. Number and location will be determined with the user group during the programming phase

PART 2 - PRODUCTS

2.1 TOILET ACCESSORIES

- A. Paper towel dispensers: Kimberly Clark ~~Lev-R-Matic~~ ~~Hiin-SIGHT~~ *SANITOUCH hard* roll towel dispenser, #~~0973609990~~.
- B. Toilet tissue dispensers:
  - 1. Non-dormitory buildings: Kimberly Clark ~~IN-SIGHT® Cored JRT Combo Unit~~ ~~In-Sight JRT Junior Twin~~, #~~0955609551~~.
  - 2. Dormitory buildings: Kimberly Clark ~~IN-SIGHT Series-i JRT Jr. ESCORT Jumbo Roll Tissue Dispenser~~ ~~In-Sight JRT Junior Escort~~, #~~0956609507~~
- C. Waste receptacles: Trash cans provided by DC. FOM.
- D. Grab bars: No special requirements.
- E. Sanitary napkin vendors: Bobrick #B2800 (preferred surface mount), alternate #B-3500 (recessed).
- F. Sanitary napkin disposal units: Kimberly Clark Impact 1102 series, white.
- G. Soap dispensers, wall mounted: Kimberly Clark ~~IN-SIGHT Series-i One Pak Skin Care Dispenser~~ ~~#91011 91180~~ (preferred smoke finish), alternately #~~91086-91182~~ (white).
- H. Shower curtain rods: No special requirements.
- I. Shower curtains and hooks: No special requirements.

- J. Soap dishes, surface mounted: Not applicable, see soap dispensers.
- K. Towel pins: No special requirements.
- L. Robe hooks: No special requirements.
- M. Stainless steel shelving: No Special requirements.

2.2 MIRRORS AND FRAMES

- A. Mirror glass, 1/4 inch thick, ASTM C 1036, stainless steel frame with shelf; Bobrick B166 series.
- B. Mirrors shall be specified by the architect, furnished & installed by the contractor.

PART 3 - EXECUTION

- A. All accessories shall be mechanically fastened to the walls or floors.
- B. Mounting heights must comply with all requirements of ADA.
- C. The architect must be careful to consider the noise of operation of accessories and the transmission of sound through the mounting wall. For instance, it may be necessary to avoid mounting an accessory on a party wall of a bedroom.

END OF SECTION 10801