

SECTION 12484

FLOOR MATS AND FRAMES

PART 1 – DESIGN DIRECTIVES

1.1 ~~NO SPECIAL REQUIREMENTS~~ ENTRY WAY MATS

- A. *Ideally entry mats shall be one foot wider than the door and extend eight feet into the building. Actual size will vary per the building circumstances.*
- B. *Mats shall be recessed where possible. Where not possible, such as renovations, sloped edging may be used.*

PART 2 – PRODUCTS

2.1 ~~NO SPECIAL REQUIREMENTS~~ ENTRY WAY MATS

- A. *Mats shall be 1/2" thick constructed of all vinyl.*
- B. *Color shall be selected from manufacturer's selection of standard colors.*
- C. *Warranty: Manufacturer shall provide a five year warranty against rot, rust, fading, and maintaining the original shape*
- D. *Manufacturers:*
 - 1. *Design-Links 2 SE, Space Links, Inc.*

PART 3 – EXECUTION

3.1 ~~NO SPECIAL REQUIREMENTS~~ ENTRY WAY MATS

- A. *Mats shall be sized to provide relatively easy removal by custodial staff. Maximum size shall be:*
 - 1. *No more than 32 square feet*
 - 2. *No greater than eight feet in length.*

END OF SECTION 12484